RUTLAND DAILY RAINFALL

1911 - 1920

GREAT CASTERTON RECTORY	1911	-	1917
GREAT CASTERTON WALK FARM	1913	-	1919
LIDDINGTON UPPINGHAM W.W.	1912	-	1915
MARKET OVERTON	1911	-	1916
OAKHAM THE MANSE	1917	-	1919
UPPINGTON RIDLINGTON	1911	-	1920
WHITWELL RECTORY	1911	-	1915
WING THE COTTAGE			1912

FORM A2.
BRITISH RAINFALL.
JAN 1912

RUTLAND.

GREAT CASTERTON RECTORY

1911 – 1917.

REGI

Kept at Great Carterton

in the County of Rutlan

by E. N. Plevin

in.

nd 1 ft. in.

Level 126·31 ft.

e Stamford

nce 2½ Miles Direction S.E.

IMPORTANT NOTE.—The Observer is requested to enter the result in the column of the day on which the observation is taken, and not in that of the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	—	·02	—	—	—	·01	1
2	·17	—	—	—	·08	—	—	—	—	—	·02	·05	2
3	—	—	—	·01	·15	—	·01	·05	—	·09	—	·01	3
4	·05	·01	·09	·13	—	—	—	·04	·05	·26	·12	·22	4
5	·01	·02	—	·22	—	—	—	—	—	·02	—	·03	5
6	·23	—	·01	·01	—	—	—	—	—	·19	—	·30	6
7	—	—	—	·01	—	—	—	—	—	—	·11	·15	7
8	·17	—	·11	—	—	—	—	—	·16	—	·05	·12	8
9	·06	—	·01	—	—	—	—	—	—	—	·07	·38	9
10	·01	·05	·15	·01	—	—	—	—	—	—	—	—	10
11	·16	—	—	—	—	—	—	·04	—	—	·09	—	11
12	·10	—	·29	—	—	—	—	—	·11	—	—	—	12
13	—	—	·18	—	—	—	—	—	·14	·01	—	·31	13
14	—	·06	·03	—	·75	—	·01	—	—	·03	—	·54	14
15	—	·05	·09	—	—	—	—	—	—	·07	·09	—	15
16	—	—	·07	—	—	·02	—	—	—	·01	·27	·06	16
17	—	—	·02	—	—	·03	—	—	—	—	·08	·09	17
18	—	·19	—	—	—	·06	—	—	—	·01	·18	·03	18
19	—	—	—	—	·01	·02	—	·03	·03	·15	·22	·06	19
20	—	·03	—	·02	—	·01	—	·60	·18	·03	—	·38	20
21	—	·22	—	—	—	·15	—	·58	—	·08	—	·09	21
22	—	—	·05	—	—	·02	—	·16	—	·12	·02	·41	22
23	·01	·05	·23	—	—	·73	—	—	·38	—	—	·07	23
24	—	·05	—	—	—	·37	—	—	—	·55	—	·24	24
25	—	·02	·03	·08	·14	—	—	—	—	—	·07	·04	25
26	—	—	—	·18	·38	—	·04	—	·15	·18	·33	·31	26
27	—	·18	·19	·21	—	—	·31	·18	—	·06	—	·03	27
28	—	·11	—	·16	—	·05	—	·09	·22	—	·11	·01	28
29	—		—	·03	—	·10	·03	—	—	·20	—	—	29
30	—		—	·01	·12	—	—	—	·01	·10	—	—	30
31	—		—		—		—	—		—		—	31
Total	·97	1·04	1·56	1·08	1·63	1·56	·40	1·79	1·43	2·16	1·83	3·94	TOTAL for year 19·39
No. of Rain Days.	10	13	16	13	7	11	5	10	10	18	15	24	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
JAN 1912

REGI[STER]

Kept at Great Casterton Rectory,

in the County of Rutland.

by E. N. Blewitt.

RAIN GAUGE — Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " Sea Level 126·31 ft.
Time of Observation 9 A.M.
Nearest Railway Station — Name Stamford
Distance 2½ miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	—	—	—	—	·02	—	—	—	·01	1
2	·17	—	—	—	·08	—	—	—	—	—	·02	·05	2
3	—	—	—	·01	·15	—	·01	·05	—	·09	—	·01	3
4	·05	·01	·09	·13	—	—	—	·04	·05	·26	·12	·22	4
5	·01	·02	—	·22	—	—	—	—	—	·02	—	·03	5
6	·23	—	·01	·01	—	—	—	—	—	·19	—	·30	6
7	—	—	—	·01	—	—	—	—	—	—	·11	·15	7
8	·17	—	·11	—	—	—	—	—	·16	—	·05	·12	8
9	·06	—	·01	—	—	—	—	—	—	—	·07	·38	9
10	·01	·05	·15	·01	—	—	—	—	—	—	—	—	10
11	·16	—	—	—	—	—	—	·04	—	—	·09	—	11
12	·10	—	·29	—	—	—	—	—	·11	—	—	—	12
13	—	—	·18	—	—	—	—	—	·14	·01	—	·31	13
14	—	·06	·03	—	·75	—	·01	—	—	·03	—	·54	14
15	—	·05	·09	—	—	—	—	—	—	·07	·09	—	15
16	—	—	·07	—	—	·02	—	—	—	·01	·27	·06	16
17	—	—	·02	—	—	·03	—	—	—	—	·08	·09	17
18	—	·19	—	—	—	·06	—	—	—	·01	·18	·03	18
19	—	—	—	—	·01	·02	—	·03	·03	·15	·22	·06	19
20	—	·03	—	·02	—	·01	—	·60	·18	·03	—	·38	20
21	—	·22	—	—	—	·15	—	·58	—	·08	—	·09	21
22	—	—	·05	—	—	·02	—	·16	—	·12	·02	·41	22
23	·01	·05	·23	—	—	·73	—	—	·38	—	—	·87	23
24	—	·05	—	—	—	·37	—	—	—	·55	—	·24	24
25	—	·02	·03	·08	·14	—	—	—	—	—	·07	·04	25
26	—	—	—	·18	·38	—	·04	—	·15	·18	·33	·31	26
27	—	·18	·19	·21	—	—	·31	·18	—	·06	—	·03	27
28	—	·11	—	·16	—	·05	—	·09	·22	—	·11	·01	28
29	—		—	·03	—	·10	·03	—	—	·20	—	—	29
30	—		—	·01	·12	—	—	—	·01	·10	—	—	30
31	—		—		—		—	—		—		—	31
Total	·97	1·04	1·56	1·08	1·63	1·56	·40	1·79	1·43	2·16	1·83	3·94	TOTAL for year 19·39
No. of Rain Days.	10	13	16	13	7	11	5	10	10	18	15	24	152

W. 8,000, X. '11.

cord by mm slate 26.III.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 20 JAN 1913

Kept at Great Casterton Rectory

in the County of Rutland

by Rev J. Scott-Ramsay (for E. N. Blevins)

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Stamford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 126·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·13	—	—	·41	·04	—	·03	—	—	·33	1
2	—	·02	·04	·02	·03	·13	·52	—	·02	—	—	·03	2
3	·11	—	·42	—	·09	·83	·24	·50	·05	—	—	·08	3
4	·03	—	·42	—	·06	·57	—	·06	—	—	·29	—	4
5	·14	·03	—	—	—	—	—	·07	·02	—	·02	—	5
6	·58	·06	—	—	—	·02	·47	·12	—	—	—	·04	6
7	—	·05	—	—	—	·47	·01	·09	·12	—	—	—	7
8	·37	·26	·10	—	—	·04	·03	·01	—	·01	—	·13	8
9	—	·09	·03	·10	·02	·35	·01	—	—	—	—	—	9
10	·01	—	—	—	—	·03	—	·09	—	—	·08	—	10
11	·05	·13	—	—	—	·02	—	—	—	—	·02	·22	11
12	·07	·23	·05	—	·13	·22	·07	—	—	—	·10	—	12
13	—	·13	—	—	—	·09	—	—	—	—	·13	—	13
14	·11	—	·00	—	·04	·06	—	·02	—	—	—	—	14
15	—	·01	·08	—	·31	·13	—	—	—	·11	—	·09	15
16	·55	—	·09	—	·01	·13	—	·06	—	—	—	·19	16
17	·38	—	·22	—	—	·26	—	·17	—	—	·07	·01	17
18	·07	—	·09	—	—	—	—	·01	—	—	—	—	18
19	·25	·10	—	—	—	—	·08	·20	·01	—	—	—	19
20	·15	—	·18	—	·04	—	1·40	·78	—	·15	—	—	20
21	—	—	·08	—	·34	—	·06	·37	—	·28	·03	—	21
22	·10	·07	—	—	·82	—	·77	·34	—	—	·07	·03	22
23	·16	·16	·18	—	—	·02	·87	·45	—	—	—	·30	23
24	·15	—	—	—	—	·24	·03	·15	—	·06	—	·10	24
25	·01	—	—	—	—	·05	—	·42	—	—	·22	·37	25
26	—	—	—	—	—	·08	·41	(1·00)	—	·62	·12	·29	26
27	—	—	—	—	—	—	·29	·02	—	·33	—	·15	27
28	·01	·01	—	—	—	—	—	·45	·05	·33	·20	·37	28
29	—	·02	·01	—	·30	·14	·21	—	·45	·28	—	—	29
30	·04		—	—	—	—	—	—	·19	·27	—	—	30
31	—		·16		1·75		·39	·12		—		—	31
Total	3·34	1·38	2·57	·12	3·94	4·29	5·90	~~4·58~~	·94	2·44	1·32	2·66	YEAR'S TOTAL ~~32·29~~
Rain Days.	20	16	17	2	13	21	18	22	9	10	12	16	176

(6·19)

(3489)

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 26 JAN 1914

Kept at Great Casterton Rectory

in the County of Rutland

by Rev J. Scott-Ramsay for E. N. Harris

Lat. 52·40 N. Long. 0·31 W.

Time of Observation 9

Nearest Railway Station Stamford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 126·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·15	·01	—	—	—	—	·93	—	·06	—	1
2	—	·11	·02	·01	·19	—	·10	—	·01	·01	·10	—	2
3	—	—	·12	—	·45	—	—	—	—	—	—	—	3
4	·32	—	—	—	·02	—	—	—	—	·17	·08	·28	4
5	—	—	—	—	—	·02	—	—	·03	·66	·01	·06	5
6	·01	·03	·05	—	·75	·13	·09	—	—	·02	—	—	6
7	—	·07	—	—	·08	·03	—	—	—	·70	·02	—	7
8	—	·01	—	—	·25	·23	—	—	—	·05	—	—	8
9	—	·26	·03	·01	—	·15	·13	—	—	—	·20	—	9
10	·02	—	—	·36	·32	—	·21	·24	—	—	·57	—	10
11	1·08	—	—	—	—	—	—	·51	—	—	·22	—	11
12	—	—	—	·03	—	—	—	—	—	—	·68	—	12
13	·03	—	·02	—	—	—	—	—	·02	—	·21	—	13
14	·07	—	·55	·01	—	—	·11	—	—	·07	—	—	14
15	·10	—	·80	·27	—	—	—	—	·21	—	·01	—	15
16	·07	·02	·16	·07	—	—	—	—	·10	—	—	—	16
17	·06	·06	·19	·05	—	·66	·03	—	—	—	·06	·03	17
18	—	—	·06	·06	—	—	·06	—	·13	—	—	—	18
19	·09	—	·06	—	—	—	—	—	·03	—	—	—	19
20	·37	—	·21	·02	—	—	—	—	—	·36	—	—	20
21	·03	—	·15	—	·12	—	·06	—	—	—	·24	—	21
22	·23	—	—	—	—	—	—	·05	·24	—	—	—	22
23	—	—	—	—	—	·05	—	·02	·03	—	—	—	23
24	·01	—	·22	·09	—	·02	—	·04	—	—	—	—	24
25	—	—	·01	·12	—	—	—	—	—	—	—	—	25
26	—	·06	·23	·07	—	—	—	—	—	·34	·05	·20	26
27	—	·02	—	·01	·44	—	—	—	—	—	—	—	27
28	·29	—	—	·18	—	—	—	—	—	·03	—	·17	28
29	—		·19	·47	·03	—	—	·16	—	—	—	·26	29
30	·25		—	·02	—	—	—	·04	—	·01	·05	—	30
31	—		—		·09		—	·84		—		—	31
Total	3·03	·64	3·22	1·86	2·74	1·29	·79	1·90	1·73	2·42	2·56	1·00	YEAR'S TOTAL 23·18
Rain Days.	16	9	18	18	11	8	8	8	10	11	15	6	138

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

cmd for WD 2.IV.15

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at Great Casterton Rectory,

in the County of Rutland.

by Rev. J. Scott Ramsay.

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Stamford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 126.31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.02	—	—	—	.05	.11	—	—	—	.14	1
2	—	—	.01	.04	—	—	.01	.28	—	—	.06	—	2
3	—	—	—	—	—	—	.01	.05	—	—	.10	.11	3
4	.14	—	.01	.27	.13	—	.29	.04	—	—	.07	—	4
5	.06	—	—	.22	—	—	—	.13	—	—	.62	.14	5
6	—	.04	.07	.04	.23	.03	.08	.23	—	—	—	—	6
7	—	.03	—	.01	.06	—	.04	—	—	—	—	.01	7
8	.05	.03	.46	—	.01	.03	—	—	—	—	—	.02	8
9	.42	—	—	.07	.06	.00	.09	.18	—	—	—	—	9
10	.35	.06	.23	.13	—	.05	—	—	.09	—	—	—	10
11	—	.11	—	.05	—	.03	—	—	.06	—	—	—	11
12	.04	—	.31	.10	.14	.06	—	—	.01	—	.41	.34	12
13	.07	.10	.09	—	—	—	.27	—	.26	—	.01	.33	13
14	—	—	.20	—	—	—	—	—	—	.10	.06	.25	14
15	.03	—	.15	—	—	—	.09	—	—	.60	.20	.28	15
16	—	—	.12	—	—	—	—	—	—	—	.03	.12	16
17	.01	.20	.04	—	—	—	.09	—	.01	—	—	—	17
18	—	—	.02	—	—	—	—	—	.04	—	—	.14	18
19	—	.04	.04	—	—	.05	.18	—	—	—	—	.29	19
20	.05	.11	.04	—	—	—	.01	—	—	—	.08	—	20
21	—	.20	.28	—	—	—	.01	—	—	—	—	—	21
22	—	—	.15	—	—	.06	—	—	—	.04	—	.16	22
23	—	.03	—	—	.19	—	.14	.11	—	.23	—	.04	23
24	—	—	.05	—	.05	—	—	—	—	.08	—	.07	24
25	—	—	.01	.05	.02	—	.03	—	—	.20	.16	—	25
26	—	—	—	—	—	—	—	.13	—	.48	—	.16	26
27	—	—	.06	—	—	—	—	.15	—	.10	.11	.28	27
28	—	—	—	—	—	—	—	—	—	—	—	.17	28
29	.03		—	—	.05	—	—	—	—	.22	.14	1.22	29
30	—		—	—	.05	—	—	—	—	.27	.04	—	30
31	—		—	.14	—		—	—		.03		.14	31
Total	1.28	.02 1.95	2.45	1.01	.99	.05 2.88	.11 1.39	1.41	.47	2.35	2.09 .14 2.23	.93 4.33	YEAR'S TOTAL 21.72
Rain Days.	12 11	12 12	20 19	10	11	8	15	10 9	6	11	14 15	20	144

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. '12

Price 2d.

6 - JAN 1915

THE RECTORY,
GREAT CASTERTON,
STAMFORD.

Dear Sir,

This year I have started my man on your plan of marking, so that for the future the result will be entered to the previous day. Unfortunately for last year he began wrong, & so had to continue filling in the spaces. ?

Am afraid it will oc-
casion slight alterations.

Yours truly,

J. Scott Ramsay.

Jan 4. 1914

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. JAN 1916

Kept at Great Casterton Rectory

in the County of Rutland

by Rev. J. Scott Ramsay

Lat. 52·40 N Long. 0·31 W.

Nearest Railway Station Stamford

Time of Observation 9 A.M.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " Sea Level 126·31 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to DR. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·24	—	—	·31	—	—	—	·45	—	·104	·09	1
2	·03	·13	·15	·10	—	·06	—	·70	·04	—	·06	·03	2
3	·32	—	·04	·11	—	—	·46	·25	·10	—	—	·19	3
4	·17	—	—	—	—	—	·40	—	—	—	—	·58	4
5	·03	·23	—	—	·07	—	·01	·01	—	—	·05	·29	5
6	·05	·07	·02	·19	—	—	·90	—	—	—	—	·02	6
7	·06	·25	·18	—	—	·05	·27	·14	—	—	—	·21	7
8	·03	·11	—	·03	—	—	—	·02	—	—	·07	—	8
9	·01	—	—	—	—	·17	·08	—	—	—	·12	·50	9
10	·35	—	—	—	—	—	—	—	—	—	·10	·02	10
11	—	—	·05	·03	·16	—	·03	—	—	—	·50	·14	11
12	·03	—	—	·20	·31	—	·01	·30	—	—	1·53	—	12
13	·02	·58	—	—	·93	—	—	—	—	·02	—	—	13
14	—	·02	—	—	—	—	—	—	—	—	—	·23	14
15	·26	—	—	—	·09	—	·02	·01	—	—	·20	·11	15
16	—	·26	—	—	—	—	·91	—	—	—	—	·02	16
17	—	·14	—	—	—	—	·09	—	—	—	—	—	17
18	—	·05	·32	—	—	—	—	—	—	—	·06	—	18
19	—	·03	—	—	—	—	·08	—	—	—	—	—	19
20	·12	—	—	—	·49	—	—	—	—	—	—	·24	20
21	·05	—	—	—	·04	—	·08	—	—	—	—	·04	21
22	·15	—	·14	·03	—	—	·19	—	—	—	—	·12	22
23	·09	·13	·10	—	—	—	·25	—	·07	·19	—	·36	23
24	·02	—	·04	—	—	—	·08	—	·60	·23	—	·06	24
25	—	—	—	—	—	·19	·09	—	—	·05	—	·20	25
26	—	·16	—	—	—	—	·06	—	—	—	—	·35	26
27	—	·07	—	—	—	·31	·08	—	—	·52	—	·02	27
28	—	·15	·06	—	—	·03	—	·07	·02	·17	—	—	28
29	—	+++	—	—	—	·20	—	·12	—	—	·16	·29	29
30	·07		—	—	—	·40	—	—	—	—	·01	·05	30
31	·05		—		—		—	·14		·11		·08	31
Total	2·13	2·65	1·40	·69	2·40	1·71	4·09	1·76	1·28	1·29	2·92	4·27	TOTAL for year 26·29
No. of Rain Days	20	16	10	4	8	8	19	10	6	4	12	24	147

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2579

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 15. JAN 1917

Kept at Great Casterton Rectory,

in the County of Rutland

by (Rev.) J. Scott Ramsay.

Lat. 52.40 N Long. 0.31 W.

Time of Observation 9 a.m.

Nearest Railway Station Stamford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 126.31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.02	.06	—	.07	.13	.14	—	—	—	.31	—	1
2	.32	.26	.25	—	.55	—	.18	—	.04	.19	.06	—	2
3	—	.18	.01	—	—	—	.33	—	.62	.22	.05	—	3
4	.24	—	—	—	.16	.32	—	—	.02	.02	.31	—	4
5	—	—	—	—	.02	.12	—	—	—	.16	.12	—	5
6	.10	.13	.34	.04	.01	—	.23	—	—	.01	.29	—	6
7	.02	—	.26	—	.08	—	.25	—	—	.03	.24	.06	7
8	—	—	.05	—	—	—	—	—	—	—	—	.25	8
9	—	—	.08	—	.33	.28	—	—	—	—	—	.10	9
10	—	.03	.16	.04	—	.05	—	—	.05	—	—	.08	10
11	—	.34	.26	.07	.08	.05	—	—	—	—	—	—	11
12	.04	—	.13	.03	.60	.14	.02	—	—	.05	—	—	12
13	—	.18	.23	.05	.26	.04	—	.06	—	—	—	—	13
14	—	.48	.03	—	.08	—	.13	—	—	—	—	—	14
15	—	.26	.36	.11	.01	—	.04	—	—	—	—	—	15
16	—	.09	.16	.18	.03	—	.13	.36	—	—	—	—	16
17	.01	.05	—	.1	—	—	—	1.65	.20	.27	—	—	17
18	—	.15	—	.07	—	—	—	.12	.05	—	1.40	—	18
19	.06	.02	.15	.16	—	.06	—	.06	.05	—	.60	.05	19
20	.11	—	.18	.04	—	—	—	—	—	—	.13	.30	20
21	—	—	.30	—	—	—	.02	—	—	—	—	.26	21
22	—	.05	.03	—	—	.05	—	—	—	.03	—	1.00	22
23	.04	.41	—	—	.03	.23	—	—	—	—	.08	.29	23
24	—	.75	.02	.05	—	—	—	.06	—	.03	—	.16	24
25	—	.47	.15	—	.02	—	—	.03	—	.04	.09	—	25
26	—	.12	—	—	—	.01	—	.25	—	.05	.03	—	26
27	.02	.44	1.06	—	—	—	.27	.13	—	.12	—	—	27
28	—	.35	.75	.11	—	.04	—	.13	—	.12	—	.17	28
29	—	.14	—	—	—	.27	—	1.45	—	.33	—	.09	29
30	—	X	—	—	—	.20	—	.15	—	.12	—	—	30
31	—	X	—	X	—	X	—	.03	X	.02	X		31
Total	.98	4.92	5.02	1.06	2.32	1.99	1.74	4.48	1.03	1.81	3.57	3.45	31.08
Rain Days.	11	21	22	13	15	15	11	13	4	17	13	11	168

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Great Casterton Rectory

in the County of Rutland

by (Rev) J. Scott Ramsay.

Lat. 52° 40 N Long. 0° 21 W.

Time of Observation 9 AM.

Nearest Railway Station Stamford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 126·31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·25	—	—	—	·74	·14	—	—	—	1
2	—	—	—	—	—	·17	—	·13	—	—	—	—	2
3	—	—	—	·14	—	—	—	·52	—	·17	—	—	3
4	—	·02	·04	—	—	—	—	·24	—	·37	—	—	4
5	·12	—	·03	·12	—	—	—	·02	·27	—	·18	—	5
6	—	—	—	—	—	·01	—	—	—	·09	·05	—	6
7	·39	—	—	—	—	·09	—	—	—	·37	—	—	7
8	·52	—	—	·14	—	—	·22	·63	—	·34	·08	—	8
9	·17	—	·14	·03	—	—	—	·09	—	—	·12	—	9
10	·30	—	·27	·13	—	—	—	·16	—	·19	—	—	10
11	·06	—	·05	·23	—	—	—	·19	·03	·22	·01	—	11
12	·16	—	—	—	·26	—	—	·04	—	—	—	—	12
13	·10	—	·06	·02	—	—	·04	·25	·02	—	—	—	13
14	·17	—	—	·14	—	—	—	·20	—	·04	—	·08	14
15	·06	—	—	—	—	—	·21	·05	—	—	—	·17	15
16	—	·21	—	·10	—	—	—	—	—	·10	—	—	16
17	·06	·02	·05	·16	·51	·26	·13	—	—	·08	—	—	17
18	·05	—	—	·03	·08	—	·19	·02	·65	—	—	—	18
19	—	·16	·17	—	·04	—	—	—	·06	—	—	—	19
20	—	·21	·12	—	·20	—	—	—	—	—	·18	—	20
21	—	·03	·03	·02	—	—	—	—	—	—	—	—	21
22	—	—	·14	—	—	—	—	·12	·03	·11	—	—	22
23	—	—	·02	—	·07	·53	—	·14	·06	—	—	—	23
24	—	·02	·03	—	—	—	—	—	—	·22	—	—	24
25	—	—	—	—	—	—	—	·37	—	—	·03	—	25
26	—	—	·09	—	—	—	—	·60	·11	—	·22	—	26
27	—	—	—	—	—	·19	—	·10	—	—	—	—	27
28	—	—	·06	—	—	·52	—	—	—	—	—	·18	28
29	—	X	—	—	·18	·08	·10	—	—	·45	—	·19	29
30	—	X	—	—	—	—	·48	·28	—	—	—	·09	30
31	—	X	—	X	—	X	·11	·12	X	—	X	—	31
Total	2·16	·67	1·30	1·51	1·34	1·85	1·48	5·01	1·37	2·75	·87	·71	YEAR'S TOTAL 21.02
Rain Days.	12	7	15	13	7	8	8	21	9	13	8	5	126

W. 8,000, VIII. 16

2.08

RUTLAND.

GREAT CASTERTON.

"WALK FARM"

1913 – 1919.

REGIS[TER]

FORM A. BRITISH RAINFALL.

26 JAN 1914

Kept at Walk Farm, [G]

in the County of Rutlan[d]

by Henry Goodyear

[30½ W.]

[ndine]

[in.]

[ound 1 ft. 8 in.]

[Level 330 ft.]

IMPORTANT NOTE.— [result entered to the previous day. If an Observ[er] [l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	·19	—	—	—	—	—	2·00	—	·05	—	1
2		·08	·02	—	·09	—	·08	—	—	—	—	—	2
3		—	·10	—	·42	—	—	—	·01	—	—	—	3
4		—	—	—	·05	—	—	—	—	·66	·17	·29	4
5		—	—	—	—	—	·04	—	—	·98	—	—	5
6		—	—	—	·78	·35	·11	—	—	—	—	—	6
7		·10	—	—	—	·09	—	—	—	·68	·17	—	7
8		—	—	—	·36	·12	—	—	—	·05	·09	—	8
* 9		·25	—	—	—	·15	·21	—	—	—	—	—	9
10		—	·06	—	·20	—	—	—	—	—	·58	—	10
11		—	—	·44	—	—	—	·43	—	—	·22	—	11
12		—	—	—	·02	—	—	—	—	—	·67	—	12
13		—	—	·05	—	—	—	—	—	—	·23	—	13
14		—	·67	—	—	—	·10	—	—	—	—	—	14
15		—	·25	·32	—	—	—	—	·33	—	—	—	15
16	·05	—	·61	·07	—	—	—	—	·12	—	—	—	16
17	·09	·09	·16	—	—	·21	·02	—	·05	—	—	—	17
18	·35	—	·19	—	—	—	·02	—	·09	—	—	—	18
19	—	—	·05	—	—	—	·03	—	—	—	—	—	19
20	—	—	·06	—	—	—	·06	—	—	·43	—	—	20
21	—	—	·17	—	·10	—	—	—	—	—	·32	—	21
22	·20	—	·17	—	—	—	—	·06	·34	—	—	—	22
23	—	—	—	—	—	·09	—	·10	—	—	—	—	23
24	—	—	—	·07	—	—	—	—	—	—	—	—	24
25	—	—	—	·17	—	—	—	—	—	—	—	—	25
26	—	·02	·22	·06	—	—	—	—	—	·34	·05	·27	26
27	—	·07	—	—	·42	—	—	—	—	—	—	—	27
28	·29	—	·22	·17	—	—	—	—	—	—	—	—	28
29	—		·18	·53	—	—	—	·44	—	—	—	·12	29
30	·30		—	·04	—	—	—	—	—	·11	·07	·09	30
31	—		—		·14		—	—				—	31
Total	(2·98)	·61	3·32	1·92	2·58	1·01	·67	1·03	2·94	3·25	2·62	·77	YEAR'S TOTAL (23·70)
Rain Days.	6	6	16	10	10	6	9	4	7	7	11	4	96

Started January 16th 1914

(2·98)

(23·70)

W.7,000, XI. 13

REGIS[illegible]

FORM A. BRITISH RAINFALL.

26 JAN 1914

Kept at Walk Farm, Exton.

in the County of Rutland

by Henry Goodyear for E. N. Rivers.

Long. 0° 30½ W.

Time of Observation 9 A.M.

Nearest Railway Station Essendine

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	·19	—	—	—	—	—	2·00	—	·05	—	1
2		·08	·02	—	·09	—	·08	—	—	—	—	—	2
3			·10	—	·42	—	—	—	·01	—	—	—	3
4		—	—	—	·05	—	—	—	—	·66	·17	·29	4
5		—	—	—	—	—	·04	—	—	·98	—	—	5
6		—	—	—	·78	·35	·11	—	—	—	—	—	6
7		·10	—	—	—	·09	—	—	—	·68	·17	—	7
8		—	—	—	·36	·12	—	—	—	·05	·09	—	8
* 9		·25	—	—	—	·15	·21	—	—	—	—	—	9
10	(1·70)	—	·06	—	·20	—	—	—	—	—	·58	—	10
11		—	—	·44	—	—	—	·43	—	—	·22	—	11
12		—	—	—	·02	—	—	—	—	—	·67	—	12
13		—	—	·05	—	—	—	—	—	—	·23	—	13
14		—	·67	—	—	—	·10	—	—	—	—	—	14
15		—	·25	·32	—	—	—	—	·33	—	—	—	15
16	·05	—	·61	·07	—	—	—	—	·12	—	—	—	16
17	·09	·09	·16	—	—	·21	·02	—	·05	—	—	—	17
18	·35	—	·19	—	—	—	·02	—	·09	—	—	—	18
19	—	—	·05	—	—	—	·03	—	—	—	—	—	19
20	—	—	·06	—	—	—	·06	—	—	·43	—	—	20
21	—	—	·17	—	·10	—	—	—	—	—	·32	—	21
22	·20	—	·17	—	—	—	—	·06	·34	—	—	—	22
23	—	—	—	—	—	·09	—	·10	—	—	—	—	23
24	—	—	—	·07	—	—	—	—	—	—	—	—	24
25	—	—	—	·17	—	—	—	—	—	—	—	—	25
26	—	·02	·22	·06	—	—	—	—	—	·34	·05	·27	26
27	—	·07	—	—	·42	—	—	—	—	—	—	—	27
28	·29	—	·22	·17	—	—	—	—	—	—	—	—	28
29	—		·18	·53	—	—	—	·44	—	—	—	·12	29
30	·30		—	·04	—	—	—	—	—	·11	·07	·09	30
31	—		—		·14		—	—				—	31
Total	(2·98)	·61	3·32	1·92	2·58	1·01	·67	1·03	2·94	3·25	2·62	·77	YEAR'S TOTAL (22·90)
Rain Days.	6	6	16	10	10	6	9	4	7	7	11	4	96

Started January 16th

(2·98)

(23·70)

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Walk Farm, Casterton.

in the County of Rutland

by Henry Goodyear.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Essendine.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.05			.07	.42					1
2													2
3	.14				.18		.31			.24			3
4			.04	.09						.70		.30	4
5					.14	.3							5
6		.09		.11	.10							.10	6
7		.04	.48	.10									7
8		.05			.9	1.00	.14						8
9	.53		.22	.3		1.20		.65					9
10	.38	.06										.20	10
11	.10	.11	.42	.28	.21								11
12			.12			.03	.29		.45			.49	12
13		.11	.20							.50			13
14			.12										14
15			.13									.37	15
16	.04		.05										16
17		.20							.07		.60		17
18			.04			.30	.29						18
19			.05				.12			.21			19
20		.14	.35										20
21		.20										.46	21
22		.05			.18	.04	.10	.09			.26		22
23					.05								23
24	.03		.05				.05			.18	.50		24
25					.07								25
26			.06					.30			.96	.65	26
27											.26	.20	27
28					.04					.27	.04	1.37	28
29			.07		.05					.04			29
30		X										.20	30
31	~~1.52~~	X		X		X			X		X	.5	31
Total	1.22	1.05	2.43	.66	1.11	2.80	1.37	1.46	.52	2.14	2.62	4.39	YEAR'S TOTAL 21.77
Rain Days.	6	10	16	6	10	6	8	4	2	7	6	11	92

W. 8,000, X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. JAN 1916

Kept at Walk. Farm. Casterton

in the County of Rutland

by Henry. Goodyear.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Essendine

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.20				.07			.31				1
2		.14			.42			.75					2
3	.48			.31			.16	.18				.35	3
4	.26		.20			.03	1.40	.16			.10	.64	4
5		.28	.05		.08								5
6				.18			.80					.34	6
7	.12	.28						.13					7
8	.05												8
9		.11				.15					.15		9
10	.40										.11	.59	10
11					.17						.53		11
12	.03				.33		.13	.16			1.50		12
13		.57		.24	.88							.20	13
14													14
15					.08							.32	15
16		.15					.86						16
17		.24					.22						17
18											.26		18
19							.08					.19	19
20		.10										.15	20
21							.09						21
22			.47		.30		.35						22
23	.64						.09			.20			23
24			.75				.17		.80	.25		.42	24
25						.18						.20	25
26		.23				.12	.13						26
27		.3				.20	.28						27
28		.20				.14				.63	.20	.38	28
29												.39	29
30	.08	X				.37		.19		.20			30
31	.04	X		X		X		.13	X		X	.15	31
Total	2.31	2.53	.87	.73	2.26	1.26	4.78	1.72	1.11	1.28	2.85	4.32	YEAR'S TOTAL 26.02
Rain Days.	10	12	4	3	7	8	13	9	2	4	7	13	90

W. 8,000. X. 15.

Exd C & E

2580

REGISTER OF RAINFALL IN 191[illegible]

FORM A. BRITISH RAINFALL.

5 JAN 19[illegible]

Kept at "The Walk Farm" Casterton

in the County of Rutland.

by Henry Goodyear.

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Essendine

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.12	.27	~~.05~~	.05		.33		1
2	.27	.20			.30		.07	~~.35~~	.03				2
3							.38	~~.04~~	.04	.50	.18		3
4	.27				.25					.23	.40		4
5		.26			.20	.25					.12		5
6			.90				.45						6
7		.12											7
8	.15				.43	.50					.68	.30	8
9									.05				9
10			2.00			.03							10
11		.35				.11							11
12					.68	.8							12
13		.17		.16	.28	.10		.08					13
14													14
15		.53	.40				.30						15
16		.12		.20	.09				.07				16
17		.22					.18	.66	.20	.35			17
18				.20							1.68		18
19			.25	.19		.03		.18				.75	19
20			.25								.50		20
21					.09		.03						21
22			.28	6		.07						1.00	22
23	.20					.20					.10		23
24								.06				.30	24
25								.28					25
26													26
27			1.50			.04	.15						27
28								.05				.05	28
29				.25		.27		1.78				.20	29
30		X						.17		.70		.06	30
31		X		X		X		.4	X		X		31
Total	.89	1.97	5.58	1.06	2.32	1.80	1.83	3.30	.76	1.78	3.99	3.06	YEAR'S TOTAL 28.34
Rain Days.	4	8	7	6	8	12	8	9	6	4	8	7	87

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at The Walk. Farm Lyt Casterton.

in the County of Rutland.

by Henry. Goodyear

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Essendine G.N.R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.90					1
2								.15					2
3								.60					3
4			.20	.30				.12	.20	.56			4
5	.10			.15									5
6						.12					.20		6
7	.47												7
8	.46						.23	1.30		.60			8
9			.50								.21		9
10								.15		.25			10
11	.14			.30				.15		.08			11
12					.30		.04	.13		.22			12
13								.23		.25			13
14			.25	.25			.10			.05			14
15													15
16				.20									16
17		.96			.53			.20					17
18					.12		.33	.9	.60	.08			18
19				.18	.24				.15		.20		19
20		.35	.25		.21								20
21													21
22								.12					22
23									.09	.15			23
24						.64		.14				.20	24
25													25
26						.15		.40	.14			.10	26
27								.65					27
28												.9	28
29					.20		.09			.55		.50	29
30		X				.38	.49	.33					30
31		X		X		X	9	.15	X		X		31
Total	1.17	1.31	1.20	.58	1.63	1.52	1.39	6.01	1.21	2.79	.61	.89	YEAR'S TOTAL 21.31
Rain Days.	4	2	4	6	6	4	7	14	5	10	3	4	72

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 191

FORM A. BRITISH RAINFALL. 6.1.18

Kept at The Walk Farm, Casterton.

in the County of Rutland.

by Henry. Goodyear.

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Essendine

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2								.25				.05	2
3		.44			.70		.05						3
4								.35			1.00	.10	4
5								.16	1.35				5
6			~~.30~~ .30						.58		.50	.10	6
7		.11				.08							7
8		.11				.04							8
9		.21	~~.20~~ .20				.14		.50				9
10	.25		~~.05~~ .05	.50					.03			.70	10
11			~~.05~~ .05				.40			.66			11
12					.25								12
13							.25		.25			.30	13
14	.25					.05	.35		.45	.07			14
15			~~.63~~ .63				.09			.47			15
16			~~.50~~ .50			.08			.38			.40	16
17	1.00						.60						17
18	.25						.19		.73				18
19												.60	19
20													20
21													21
22													22
23					.25		.22		.20				~~23~~
24					.03							.20	24
25					.37			.25					25
26							.64						26
27								.20				.30	27
28											.25		28
29													29
30		X	.68	.15					1.25		.50	.25	30
31		X	10	X		X			X		X		31
Total	1.75	.87	.78	1.88	2.30	.25	2.93	1.21	5.72	.20	2.25	3.00	~~24.14~~ 23.14
Rain Days.	4	4	2	7	6	4	10	5	10	3	4	10	~~69~~ 69

W. 6,500, VII. 18. w w o

2303

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19[illegible].

Kept at "The Walk Farm" Casterton Stamford.

in the County of Rutland.

by Henry Goodyear.

Lat..... Long.....

Time of Observation 9 A.M.

Nearest Railway Station Essendine

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36						.21						1
2							.18						2
3	1.00								.20				3
4	.05	1.00				.08		.46	.80				4
5				.05	1.05								5
6			.50										6
7		.50	.20										7
8	.13												8
9				.10									9
10						.08							10
11							.80						11
12	.10	.25		.15			.10			~~.50~~	1.50		12
13													13
14		.05		.80									14
15	.20	.20	1.00										15
16													16
17	.50	.50											17
18													18
19				.50					.33				19
20	.25					.25	1.55	1.35					20
21													21
22				.05			.240						22
23	.75	.50											23
24				.20		.06							24
25					.19	.06		.40		1.10			25
26			1.60										26
27				.25									27
28		.35						1.00					28
29									.33		.50		29
30						.25		.15				2.00	30
31													31
TOTAL	3.34	3.35	~~3.60~~ 3.30	2.10	1.24	.78	3.25	3.16	1.68	1.10	2.00	2.00	YEAR'S TOTAL 27.30
Days with .01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. BRITISH RAINFALL.

7 FEB 1913

LIDDINGTON RUTLAND.

UPPINGHAM WW

1912 – 1915

REGIS

Kept at Uppingham Gatte... Station

in the County of Ru...

by B. Burn...

...elton

...in.

Ground 1 ft. 3 in.

Sea Level 152 ft.

IMPORTANT NOTE... the result entered to the previous day. If an Obse... rsal rule, he is earnestly requested to add the readi... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04	06		11	06		06			20	1
2			04			16	04	45					2
3	10			03	05	45	05	03				08	3
4	05		50		06	41		14	03		25		4
5	07	09	30		02	16							5
6	40					10	20	05					6
7		05		0		22	05	16					7
8		30	16			04			05			06	8
9	02	05	04	07		13	08					12	9
10						02		10			06		10
11	04	13	03		10	05		12			03	25	11
12	07	15	02			12	32						12
13		16				02		04					13
14	06		10			05		14			10		14
15					30	06		04				10	15
16	36		08		08	07		08					16
17	20		15			20		57				20	17
18	14							14					18
19	20	05	05				10	40				03	19
20			29		10		1·03	70		25			20
21			15		33			50		12	10		21
22					52		1·03	30				03	22
23	28	10	20				44	13				20	23
24	04	06	03			11	09	40			10	14	24
25		04				30	13	42			20	30	25
26		02				20		1·83		50	10	34	26
27						16	03			30		18	27
28		02				15	03	30		26	27		28
29		02				10	31		55	36		34	29
30					15				15	25			30
31	05				16		30	20					31
Total	2·08	1·23	2·21	·16	1·87	3·29	4·57	7·33	·84	2·04	1·21	2·72	YEAR'S TOTAL 29·55
Rain Days.	15	14	16	3	11	23	17	23	5	7	9	15	158

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

7 FEB 1913

REGIS[illegible]

Kept at Uppingham Gretton Pumping Station

in the County of Rutland

by B. Burn

Time of Observation 9 a.m.

Nearest Railway Station Gretton

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 152 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04	06.		11.	06		06.			20.	1
2			04			16	34	45.					2
3	10			03.	05	45	05	03				08.	3
4	05.		50		06	41.		14.	03		25.		4
5	07	09.	30		02	16							5
6	40					10	20.	05.					6
7	.	05		0		22	05	16					7
8		30	16			04			05			06	8
9	02	05.	04.	07.		13	08					12	9
10						02		10			06.		10
11	04	13	03		10	05		12			03.	25	11
12	07.	15	02			12	32						12
13		15				02		04					13
14	06		10			05		14			10.		14
15					30	06		04				10.	15
16	36.		08,		08.	07		08					16
17	20		15			20		57				20.	17
18	14							14					18
19	20	05	05				10.	40				03.	19
20			29.		10.		1·03	70		25.			20
21			15		33			50		12	10		21
22					52		1·03	30				03	22
23	28.	10	20				44	13				20.	23
24	04	06	03			11	09	10			10	14	24
25		04				30	13	42			20	39	25
26		02				20		1·83		50.	10.	34.	26
27						16	03			30.		18	27
28		02				15	03	39.		26	27.		28
29		02				10	31		55.	36.		34	29
30					15				15	25.			30
31	05.				16		30	20.					31
Total	2·08	1·23.	2·21.	·16	1·87	3·29.	4·57	7·33.	·842	2·04	1·21	2·72	YEAR'S TOTAL 29·55.
Rain Days.	15.	14.	16	3.	11.	23.	17.	23.	5.	7.	9.	15.	158

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 7 FEB 1914

Kept at Uppingham W.W. Lyddington

in the County of Rutland

by B. Burn.

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Seaton

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.75.				1
2		.05	.10				.20		.05.		.07.		2
3			.12		.48				.07.	.28	.05	.16.	3
4					.12	.08.	.05			.10	.10	.10	4
5	.03						.03			.20	.05.		5
6		.04			.20	.29	.30			.07.			6
7		.08	.05		.07.	.05				.68	.08		7
8		.25	.03.			.18				.07.			8
9			.05	.05							.13.		9
10				.07		.20	.11	.13			.45		10
11	.75			.40				.48			.38		11
12				.06	.10	.03					.55		12
13			.04			.17.	.15		.08		.22		13
14			.23							.10			14
15	.26	.04	.29	.40					.05.				15
16	.02		.70	.22					.25.				16
17	.10	.05	.12	.10			.10				.06.		17
18			.22				.02						18
19	.35		.02				.02						19
20	.07.									.35			20
21			.16		.12 .2						.30		21
22	.28		.21.					.10	.47.				22
23			.03										23
24													24
25	.05			.05.						.25.			25
26		.05	.20	.10				.02			.03.		26
27			.10	.08								.15.	27
28	.27		.23	.14				.21		.10		.08	28
29	.03		.15.	.50						.05		.10	29
30	.26									.05		.07.	30
31								.50.					31
Total	2.47.	.56	3.05.	2.17.	1.09.	1.00	.98.	1.44	1.72	3.10	2.47.	.66	YEAR'S TOTAL 20.71.
Rain Days.	12.	7.	19.	12.	6.	7.	9.	6.	7.	12.	13.	6.	116.

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

15 JAN 1915

Kept at Lyddington (Uppingham W.W.)

in the County of Rutland

by B. Burn

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Gretton.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02				05	15			06	08	1
2			02	02				11			16	09	2
3				15				09			03		3
4	20		02	15	12		38	23			40	18	4
5	04		04	02	03	08	16	23				02	5
6		03			10								6
7		06	38		10	04	05	15			20	04	7
8	06	04			12	1·30							8
9			20	15	04	88							9
10		12		06	04				10				10
11	55		30	10	20						45	35	11
12	05	10	09						05		04	38	12
13	04	10	15						23	10	11	20	13
14			10				18			55	12	20	14
15	02	05	15						06			15	15
16			05				15		03				16
17		12	05				06		10			16	17
18			03			68	26					08	18
19		04	04				12				05	40	19
20		32	21					05				07	20
21		20	05				25	13		05		23	21
22			04		30			03				05	22
23			05		05		04	50		17			23
24			03					05		35			24
25								10		27	12	18	25
26			03								14	30	26
27											02	20	27
28	05		10		10					12	09	1·15	28
29	02									32	06		29
30		X								03	07	}	30
31		X		X	06	X	14		X		X	} 20	31
Total	1·06	1·18	2·24	·65	1·26	3·01	1·84	1·82	·54	1·96	2·20	4·69	YEAR'S TOTAL 22·48
Rain Days.	9	11	22	7	12	5	12	12	6	9	16	21	142

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

24 FEB 1916

Kept at The Waterworks, Lyddington Grasby

in the County of Rutland

by B. Burn

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Gretton.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		20	09.		20			16	23			10	1
2			13.	13		08		30			03	05	2
3	28.	20	03	15			55.			05.		20	3
4	05.						30	10				43.	4
5	02	33			15							35.	5
6	04.	05		20			77.	21.					6
7	08	28				08	38	04.				20	7
8	05	13									08		8
9				05		08					20	45	9
10	20		03	05				25			15	02	10
11	02				10		03.				50		11
12	02				24.			10			1·8		12
13	02	52		18	80		05	20					13
14		02						29.	24.			22	14
15							02				20	12	15
16	20	05.			10		15.	10					16
17		18					95.						17
18		38	34.										18
19							08					30	19
20	40	09.	03.									05	20
21		11					11					04.	21
22	13.		13.				13.						22
23	02					04	14.	10	20	25		40	23
24	02		05				13		52	05.		10	24
25			04.				06.			05.		20	25
26		11		02		20				10		30	26
27						03.	18			50		03	27
28		08				26			05.	10			28
29	05					20.					20	20	29
30	03.	X	06.			04.						08	30
31		X		X		X			X	22	X		31
Total	1·66	2·73	96	78	1·62	1·04	4·06	1·85	1·27	1·32	2·54	3·84	YEAR'S TOTAL 23·687
Rain Days.	17	15	10	7	6	9	16	11	5	8	8	20	132

W. 8,000. X. 15.

RUTLAND.

MARKET OVERTON.

1911 – 1916

FORM A.
BRITISH RAINFALL.
8 JAN 1912

REGI

Kept at Market Ove

in the County of Rutlan

by Miss Grace Ding

M.

in.

und ft. 11 in.

Level 475 ft.

NOTE.—Rain should be measured da
of rain and particulars as to the British
to Dr. H. R. MILL, 62, Camden Square,

uctions for the measurement
sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·04	—	—	—	0·04	0·01	—	—	0·03	0·04	1
2	0·15	—	—	—	0·16	—	0·02	0·03	—	—	0·03	0·07	2
3	0·01	0·03	—	0·03	0·13	—	—	0·09	—	0·02	0·14	0·03	3
4	0·06	0·04	0·10	0·13	—	—	—	—	0·04	0·08	0·17	0·37	4
5	0·02	—	0·02	0·04	—	—	—	0·06	—	0·03	0·02	—	5
6	0·36	—	0·04	0·02	—	—	—	0·01	—	0·14	0·01	0·33	6
7	0·05	0·02	0·12	—	—	—	—	—	—	0·02	0·21	0·10	7
8	0·18	—	—	—	—	—	—	—	—	0·01	0·01	0·16	8
9	0·05	—	—	0·03	—	—	—	—	0·30	—	0·13	0·03	9
10	0·04	0·06	0·14	—	—	—	—	0·03	—	0·01	—	0·63	10
11	0·21	—	—	—	—	—	—	0·08	—	—	0·34	0·01	11
12	0·05	0·01	0·31	—	—	—	—	—	—	—	0·06	0·01	12
13	—	—	0·08	—	—	—	—	—	0·14	0·02	0·01	0·44	13
14	—	0·04	0·13	—	0·26	—	—	—	0·15	—	0·03	0·51	14
15	—	0·07	0·15	—	—	—	—	—	—	0·13	0·07	0·02	15
16	0·01	—	0·03	—	—	0·01	—	—	—	0·03	0·16	0·16	16
17	—	0·08	0·02	—	—	0·03	—	—	—	0·01	0·07	0·16	17
18	—	0·23	—	—	—	0·10	—	—	—	0·01	0·18	0·12	18
19	0·02	0·04	0·01	—	—	0·16	—	0·02	0·05	0·14	0·45	0·04	19
20	0·01	0·06	—	—	—	—	—	0·46	0·18	—	—	0·48	20
21	—	0·30	—	0·03	—	—	—	0·25	0·14	0·22	0·03	0·06	21
22	0·03	—	0·09	—	—	—	—	0·13	—	0·18	0·04	0·30	22
23	0·03	0·06	0·19	—	—	0·85	—	—	0·47	0·88	0·03	0·10	23
24	—	0·65	0·06	0·01	—	0·45	—	0·01	—	0·21	—	0·22	24
25	—	0·09	0·04	0·07	0·48	0·06	—	0·03	0·01	0·21	0·05	0·10	25
26	—	—	—	0·17	1·16	—	—	—	—	—	0·13	0·20	26
27	0·01	0·20	0·19	0·15	0·01	—	0·04	0·25	0·25	0·03	0·15	0·06	27
28	—	0·21	—	0·17	—	0·08	—	0·03	—	—	0·07	0·03	28
29	0·01		0·01	0·05	—	0·09	0·13	—	0·20	0·21	0·02	0·02	29
30	—		0·03	0·04	0·11	0·04	—	—	—	0·12	0·01	—	30
31	—		0·02		0·02		—	—		0·04		0·02	31
Total	1·30	1·59	1·82	0·94	2·33	1·90	0·26	1·49	1·93	2·82	2·55	4·84	TOTAL for year 23·77
No. of Rain Days	23·77	17	21	13	8	10	4	15	11	22	27	29	195

1,000, XI, '08 18

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGI

FORM A.
BRITISH RAINFALL.
6 JAN 1912

Kept at Market Overton

in the County of Rutland 2

by Mrs Grace Winfield

Nearest Railway Station

Time of Observation 9 A.M.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 11 in.

" " " Sea Level 475 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·04	—	—	—	0·04	0·01	—	—	0·03	0·04	1
2	0·15	—	—	—	0·16	—	0·02	0·03	—	—	0·03	0·07	2
3	0·01	0·03	—	0·03	0·13	—	—	0·09	—	0·01	0·04	0·03	3
4	0·06	0·04	0·10	0·13	—	—	—	—	0·04	0·08	0·14	0·37	4
5	0·02	—	0·02	0·04	—	—	—	0·06	—	0·03	0·02	—	5
6	0·36	—	0·04	0·02	—	—	—	0·01	—	0·14	0·01	0·33	6
7	0·05	0·02	0·12	—	—	—	—	—	—	0·02	0·21	0·10	7
8	0·18	—	—	—	—	—	—	—	—	0·01	0·01	0·16	8
9	0·05	—	—	0·03	—	—	—	—	0·30	—	0·13	0·03	9
10	0·04	0·06	0·14	—	—	—	—	0·03	—	0·01	—	0·63	10
11	0·21	—	—	—	—	—	—	0·08	—	—	0·34	0·01	11
12	0·05	0·01	0·31	—	—	—	—	—	—	—	0·06	0·01	12
13	—	—	0·08	—	—	—	—	—	0·14	0·02	0·01	0·44	13
14	—	0·04	0·13	—	0·26	—	—	—	0·15	—	0·03	0·51	14
15	—	0·07	0·15	—	—	—	—	—	—	0·13	0·07	0·02	15
16	0·01	—	0·03	—	—	0·01	—	—	—	0·03	0·16	0·16	16
17	—	0·08	0·02	—	—	0·03	—	—	—	0·01	0·07	0·16	17
18	—	0·23	—	—	—	0·10	—	—	—	0·01	0·18	0·12	18
19	0·02	0·04	0·01	—	—	0·16	—	0·02	0·05	0·14	0·45	0·04	19
20	0·01	0·06	—	—	—	—	—	0·46	0·18	—	—	0·48	20
21	—	0·30	—	0·03	—	—	—	0·25	0·14	0·22	0·03	0·06	21
22	0·03	—	0·09	—	—	—	—	0·13	—	0·18	0·04	0·30	22
23	0·03	0·06	0·19	—	—	0·85	—	—	0·47	0·88	0·03	0·10	23
24	—	0·65	0·06	0·01	—	0·45	—	0·01	—	0·21	—	0·22	24
25	—	0·09	0·04	0·07	0·48	0·06	—	0·03	0·01	0·21	0·05	0·10	25
26	—	—	—	0·17	1·16	—	—	—	—	0·01	0·13	0·20	26
27	0·01	0·20	0·19	0·15	0·01	—	0·04	0·25	0·25	0·03	0·15	0·06	27
28	—	0·21	—	0·17	—	0·08	—	0·03	—	—	0·07	0·03	28
29	0·01		0·01	0·05	—	0·09	0·13	—	0·20	0·21	0·02	0·02	29
30	—		0·03	0·04	0·11	0·04	—	—	—	0·12	0·01	—	30
31	—		0·02		0·02		—	—		0·04		0·02	31
Total	1·30	1·59	1·82	0·94	2·33	1·90	0·26	1·49	1·93	2·83	2·55	4·84	TOTAL for year 23·77
No. of Rain Days	23·77	17	21	13	8	10	4	15	11	22	27	29	195

1,000, XI, '08 18

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

DL

country mm stats 38.111.13 for auto

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Market Overton

in the County of Rutland 3

by Miss H. E. G. Kingfield

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. „ „ „ Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.02	.01		.43	.14	.01	.06			.42	1
2		.04	.03	.04	.04	.16	.59		.06			.05	2
3	.13		.06		.06	.75	.13	.43	.08			.08	3
4	.06		.50			.76		.09			.34	.01	4
5		.05	.17		.02	.02	.01	.07	.05		.06		5
6	.82	.07	.01			.03	.20	.21			.01	.05	6
7		.08				.13	.25	.10			.01	.03	7
8	.33	.44	.27	.01		.04	.24	.03	.12	.03		.06	8
9		.06	.17	.13		.31		.01		.01		.26	9
10	.09		.01	.01 .20		.13		.17	.04		.09	.01	10
11	.05	.25	.01		.19	.06					.05	.32	11
12		.30	.07			.25	.35	.01					12
13		.08				.11		.01			.25	.02	13
14	.09	.03	.20			.09		.08	.03	.03			14
15	.01	.02	.16		.36	.17		.02			.01	.08	15
16	.69		.09		.04	.06		.10		.14			16
17	.30		.13			.21		.18			.07	.32	17
18	.11		.10					.09		.03	.01	.02	18
19	.25	.01	.14				.16	.29	.02		.03		19
20	.12	.08	.22		.17		.92	.22		.25	.02		20
21		.03	.01		.48		.15	.31		.37	.05		21
22	.07	.10	.25		.52	.01	.52	.44	.01	.03		.10	22
23	.12	.10			.01	.06	.51	.38		.01	.10	.13	23
24	.13	.01	.02			.17	.04	.19			.02	.20	24
25	.06	.01				.50		.28		.01	.39	.45	25
26		.07	.02			.08	.21	1.29		.61	.24	.39	26
27						.16	.01			.36	.46	.12	27
28		.03				.10	.10	.40	.08	.37		.48	28
29		.02	.03			.28	.20	.01	.54	.31	.02		29
30	.07				.34				.16	.24			30
31			.12		.58		.56	.10		.01		.01	31
Total	3.52	1.88	2.81	.20	2.81	5.07	5.29	5.52	1.25	2.81	2.23 2.23	3.61	TOTAL for year 37.00
No. of Rain Days	19	21	24	5	12	25	19	27	12	16	19	22	221

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2/31

28 JAN 1914

Kept at Market Overton

in the County of Rutland

by Miss Grace Wingfield

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ____ ft. 11 in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.05		.17						1.34		.09		1
2	.02		.02	.16			.06		.02	.02	.02		2
3		.09	.12		.43				.06				3
4	.48	.02	.03		.07		.01			.07	.20	.31	4
5	.01	.03	.01			.05	.05		.06	.72		.08	5
6	.02		.02		.73	.12	.09		.02	.10	.03	.01	6
7		.11			.18		.01			.73	.05	.01	7
8		.01			.32	.19	.03			.34	.12		8
9		.30	.04	.01	.02	.30			.01	.01	.14		9
10							.92	.31			.44	.02	10
11	.95			.37				.30			.36		11
12			.05		.06				.01	.01	.48		12
13		.03		.08					.01		.18		13
14	.09	.04	.75	.04			.04			.13	.02		14
15	.15	.01	.28	.45			.05	.03	.18		.04		15
16	.09		.45	.04					.26	.01	.01		16
17	.04		.37	.14		.50	.04		.15		.04		17
18	.10		.27	.06		.03	.05		.06		.01	.02	18
19		.05	.01				.03		.02	.02		.02	19
20	.17	.04	.02	.07			.06			.44	.08		20
21	.02	.01	.13		.03					.01	.31		21
22	.25		.32			.04		.08	.29				22
23	.02		.01					.03	.08				23
24	.02			.04		.01		.11	.02		.02		24
25	.26	.02		.05		.01			.01	.02	.06		25
26	.05	.10	.24	.14	.10	.01			.01	.35		.32	26
27		.05	.01	.13							.01		27
28			.32	.17					.02	.05	.01	.26	28
29			.20	.61	.20			.55		.15			29
30	.33		.01	.03			.02				.17		30
31	.01				.06			.04		.01			31
Total	3.13	.91	3.85	2.59	2.20	1.26	1.46	1.45	2.63	3.19	2.89	1.05	YEAR'S TOTAL 26.61
Rain Days.	20	15 14	23	17	11	10	14	8	19	18	23	9	187

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

23 JAN 1915

Kept at Market Overton

in the County of Rutland

by Miss Grace Kingfield

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ..... ft. 11 in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.04			.32	.20			.08		1
2				.10				.21			.15	.25	2
3	.04		.02	.01	.16		.25	.02			.10		3
4	.18		.03	.22	.02			.18			.64	.17	4
5	.14		.10	.19	.15	.14	.13	.14			.05		5
6		.08		.10	.07		.06	.01			.08		6
7	.07	.06	.48	.04	.02	.02	.05	.01	.01		.02	.04	7
8	.45	.04	.05	.04	.25	.93	.13	.24	.01		.01		8
9		.02	.24	.26	.01	1.23		.06	.04			.01	9
10	.25	.12		.10	.02				.06	.01	.55		10
11		.15	.36	.30	.15	.04			.05		.06	.36	11
12	.06	.01	.09			.01	.28		.36	.15		.38	12
13	.01	.17	.27						.01	.42	.08	.30	13
14	.04	.01	.19				.21			.01	.11	.29	14
15	.06		.12				.04	.04			.19	.10	15
16	.01		.08				.27		.05		.05		16
17		.26	.01				.02		.19			.36	17
18	.01	.05	.10			.82	.18					.33	18
19		.01	.01				.02		.02	.03		.01	19
20		.16	.24								.10	.21	20
21	.02	.29	.17			.07				.09	.03	.29	21
22			.01		.63	.11	.04	.13		.40			22
23		.08	.04		.09	.03		.01		.07			23
24		.02	.08	.06	.04		.06			.18	.27		24
25	.02						.05	.03		.50	.02	.36	25
26			.04				.02	.24		.14	.19	.30	26
27	.05		.01							.01	.01	.11	27
28	.02	.04			.05		.01			.17	.33	1.26	28
29	.04		.12	.01	.02	(.13) .29				.44	.07		29
30										.08	.41	.20	30
31	.01				.02		.21			.06		.04	31
Total	1.48	1.57	2.88	1.47	1.70	3.53 ✓	2.35	1.52	.80 ✓	2.76	3.60	5.57 5.57	YEAR'S TOTAL 29.23
Rain Days.	18	17	24	13	15	11	19	14	10	16	23	20	200

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

Kept at Market Overton

in the County of Rutland

by H. E. G. Wingfield

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.21	.05		.33		.01	.02	.11		.02	.14	1
2	.03	.19	.15	.15				.76	.02	.03	.06	.05	2
3	.46	.02	.06	.22		.10	.21	.24	.06			.22	3
4	.23						1.15	.32				.90	4
5	.03	.28			.11		.26	.06		.01	.15	.36	5
6	.06	.10	.02	.24			.91	.01		.01		.07	6
7	.14	.38	.04			.03	.33	.16			.01	.67	7
8	.11	.15	.03	.06			.01	.05			.02		8
9	.03	.05									.07	.48	9
10	.38		.05					.01			.11	.01	10
11	.05		.03	.03	.11		.08	.15			.70	.15	11
12	.05			.22	.35		.08	.01		.01	1.40		12
13	.02	.78	.01		.84			.02				.06	13
14		.03			.01			.01	.03	.03			14
15	.25		.01		.04		.03	.07			.18	.50	15
16		.39			.01		1.51	.01				.02	16
17		.15					.28				.06	.02	17
18		.11	.26				.01				.03	.01	18
19		.03	.02				.17					.01	19
20	.11						.02					.39	20
21	.12	.03					.10				.01	.11	21
22	.28		.18	.02	.52		.27			.01		.20	22
23	.04	.03	.03		.01		.19		.06	.27		.15	23
24	.02		.38				.18		.83			.07	24
25						.50	.11		.02			.17	25
26		.19	.12			.09	.04			.59		.34	26
27	.02	.02	.02				.06			.09		.03	27
28		.16	.04			.18	.01	.12					28
29	.01					.27	.02	.14		.01	.30	.34	29
30	.05	X	.01	.02		1.07		.06			.03	.10	30
31	.05	X		X		X		.08	X		X	.07	31
Total	2.65	3.30	1.51	.96	2.33	2.24	6.04	2.30	1.13	1.06	3.15	5.64	YEAR'S TOTAL 32.31
Rain Days.	23	19	19	8	10	7	24	19	7	10	15	27	188

W. 8,000. X. 14.

2581

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 30 JAN 1917

Kept at Market Overton

in the County of Rutland

by H. E. G. Wingfield

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22		.22	—									1
2	.34	.02	.18										2
3		.35											3
4	.35	.24											4
5	.02												5
6	.11	.21	.33										6
7	.02		.28										7
8			.11										8
9	.01												9
10	.02	.08	.21										10
11	.05	.40	.22										11
12		.01	.20										12
13		.17	.28										13
14		.39											14
15		.28	.42										15
16		.16	.26										16
17	.04	.07											17
18	.02	.35	.03										18
19	.08		.25										19
20	.12		.42										20
21	.07		.29										21
22		.05											22
23	.09	}	.03										23
24		}	.01										24
25		1.55											25
26	.06	}	.11										26
27	.01	.88	}										27
28		.28	.61										28
29		.30											29
30	.01	X	.03										30
31		X		X		X			X		X		31
Total	1.64	5.79	4.49 4.69										YEAR'S TOTAL
Rain Days.	18	21	26										

W. 8,000. X. 15.

RUTLAND.

OAKHAM,

"THE MANSE"

1917 – 1919

RE

Kept at Oakham,

in the County of Rut

by D. W. Horner

FORM A.
BRITISH RAINFALL.

ain Gauge ..... in.

bove Ground ..... ft. ..... in.

,, Sea Level ..... ft.

IMPORTANT N ... nd the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.02	.01	1
2										.02	.01		2
3										.14	.02		3
4										.50		.01	4
5										.03	.11		5
6										.09	.03		6
7										.37			7
8										.40	.06	.02	8
9											.11		9
10										.05	.03	.01	10
11										.19	.01		11
12										.20	.01	.02	12
13											.01		13
14											.02	.04	14
15										.05	.01	.01	15
16										.04		.14	16
17										.10		.07	17
18													18
19													19
20											.12	.02	20
21										.01		.01	21
22										.11			22
23										.01		.01	23
24										.24	.02		24
25											.03		25
26											.10	.01	26
27												.01	27
28										.01		.11	28
29										.46		.35	29
30		X								.01		.01	30
31		X		X		X			X		X	.06	31
Total										3.03	.72	.92	YEAR'S TOTAL
Rain Days.										20	17	18	

W. 8,000, VIII. 16

RE[redacted]

FORM A. BRITISH RAINFALL.

Kept at Oakham, The Manse

in the County of Rutland

by D. R. Horner

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.02	.01	1
2										.02	.01		2
3										.14	.02		3
4										.50		.01	4
5										.03	.11		5
6										.09	.03		6
7										.37			7
8										.40	.06	.02	8
9											.11		9
10										.05	.03	.01	10
11										.19	.01		11
12										.20	.01	.02	12
13											.01		13
14											.02	.04	14
15										.05	.01	.01	15
16										.04		.14	16
17										.10		.07	17
18													18
19													19
20											.12	.02	20
21										.01		.01	21
22										.11			22
23										.01		.01	23
24										.24	.02		24
25											.03		25
26											.10	.01	26
27												.01	27
28										.01		.11	28
29										.46		.35	29
30		X								.01		.01	30
31		X		X		X			X		X	.06	31
Total										3.03	.72	.92	YEAR'S TOTAL
Rain Days.										20	17	18	

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Oakham, The Manse

in the County of Rutland

by D. W. Horner

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04		.03					.02		.18	.04	1
2		.19		.04				1.93			.07	.27	2
3		.04	.04		.53				.80	.02	.41		3
4		.03	.03		.01		.04	.36	.81	.06	.37	.10	4
5		.01		.02	.12			.05	.17	.05	.01		5
6		.05		.12		.04		.12	.01	.01			6
7	.03	.06		.42		.03			.02	.02	.09		7
8	.01	.05	.02	.02					.05	.02		.15	8
9	.01	.31		.02		.03	.24		.40	.28		.02	9
10	.04	.01		.06		.01	.38		.05	.24		.04	10
11	.04	.02		.02	.29		.12		.22	.22		.12	11
12	.04	.15	.01	.01	.14		.13					.04	12
13	—			.02	.16	.01	.01		.25			.02	13
14	.35			.02		.03	.32		.16	.08		.06	14
15	.40			.43		.01	.15		.07			.28	15
16	.01			.18		.13			.16	.02		.04	16
17	.35			.04	.10	.12	.52		.02	.03		.14	17
18	.33					.10	.08		.15			.27	18
19	.05	.01	.07	.06		.02	.05		.36	.08		.09	19
20		.05		.30		.04	.01		.03	.04			20
21	.03	.01		.06		.02			.38	.19		.01	21
22	.18				.04		.02		.05	.01	.01	.30	22
23	.09				.51		.04		.10		.01	.02	23
24		.11			.01					.02	.15		24
25									.01	.11	.03		25
26							.57	.23	.01		.09	.07	26
27				.01		.02	.06		.16		.15	.03	27
28		.17	.23					.16	.01		.20	.20	28
29	.01							.01	.73		.01	.03	29
30		X	.27						.05		.09	.15	30
31		X	.23	X		X		.02	X		X	.01	31
Total	1.97	1.31	.90	1.88	1.91	.61	2.74	2.88	5.25	1.50	1.87	2.50	YEAR'S TOTAL 25.32
Rain Days.	16	17	8	19	10	14	16	8	27	18	15	24	192

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

Kept at Oakham, The Manse

in the County of Rutland

by D. W. Horner

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

FORM A. BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.11	.05		.20								1
2	.14	.01	.01		.01								2
3	.83		.03		.01								3
4	.04		.38										4
5	.06	.08				.06							5
6	.01	.06	.05		.94								6
7	.04		.28										7
8	.13		.04										8
9			.01										9
10	.02		.28										10
11	.07		.31		.02								11
12			.35			.18							12
13	.20		.02			.02							13
14	.40												14
15	.22	.09	.09										15
16	.08	1.01											16
17	.02	.28	.01		.13	.01							17
18		.01	.10										18
19	.03	.23	.85			.10							19
20	.65	.09	.46			.04							20
21	.28	.52	.10										21
22		.10	.02										22
23						.05							23
24					.10	.09							24
25	.12				.14	.01							25
26	.02		.23			.01							26
27	.47	.08				.01							27
28	.08												28
29	.05					.01							29
30		X	.05			.30							30
31	.05	X	.01	X		X			X		X		31
Total	4.48	2.67	3.73		1.55 + .15	.89							YEAR'S TOTAL
Rain Days.	24	13	22		8	13							

W. 6,500, VII, 18. w w c

RUTLAND
UPPINGHAM
RIDLINGTON
1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Rutl
in the County of R
by N. W.

5 in.
ve Ground 4 ft. 4 in.
Sea Level 527 ft.
9 a.m.
Name Manton
Distance 3¼ Direction East

IMPORTANT NO
previous day. If an
requested to add the re
for it at the end of th
the selection and plac
Organization are given in [illegible] post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

d the result entered to the
iversal rule, he is earnestly
ear in the space provided
ment of rain,
ritish Rainfall

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01					.07			.07	.04	1
2	.14		~~.01~~		.11	.01		.04			.04	.05	2
3		.01		.01	.26			.01					3
4	.08	.01	.09	.14				.01	.06	.10	.12	.33	4
5	.02			.25				.09		.03		.03	5
6	.24		.02	.02				.01		.02		.26	6
7	.01									.01	.25	.14	7
8	.14		.12								.06	.13	8
9	.06			.01							.18	.01	9
10	.01	.04	.21	.01				.01		.01		.42	10
11	.19							.10			.44	.01	11
12	.04		.36						.14		.11	.01	12
13			.04		.02				.14	.01		.36	13
14		.05	.07		.33		.01			.01	.02	.47	14
15		.08	.20							.08	.09	.02	15
16						.05					.23	.10	16
17						.03					.06	.14	17
18		.24				.16					.18	.06	18
19		.01			.01		.01	.03	.07	.15	.38	.03	19
20	.02	.04		.01				.57	.12			.55	20
21		.27						.28		.19		.13	21
22	.02		.13	.01		.36		.05		.20	.03	.39	22
23	.01	.06	.09			.54			.44	~~.27~~	.01	.10	23
24		.07	.04			.50				.89		.18	24
25			.03	.10	.70					.04		.03	25
26				.30	.87					.17	.30	.28	26
27		.21	.15	.32			.05	.31	.14	.02	.01	.05	27
28		.15		.26		.10		.07			.07	.01	28
29						.16	.05		.20	.26			29
30			.02		.05	.01				.08		.01	30
31					.06							.01	31
Total	.98	1.24	1.58	1.44	2.41	1.92	.12	1.65	1.21	2.27	2.65	4.38	TOTAL for year 21.85
No. of Rain Days	13	13	15	12	9	10	4	14	8	17	19	29	163

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

REGISTER OF RAINFALL FOR 1911

Kept at Rodlington

in the County of Rutland

by N. W. Worley

RAIN GAUGE { Pattern ____ Diameter of top 5 in. Height of top above Ground 4 ft. 4 in. „ „ „ Sea Level 527 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Manton Distance 3½m Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01					.07			.07	.04	1
2	.14		~~.01~~		.11	.01		.04			.04	.05	2
3		.01		.01	.26			.01					3
4	.08	.01	.09	.14				.01	.06	.10	.12	.33	4
5	.02			.25				.09		.03		.03	5
6	.24		.02	.02				.01		.02		.26	6
7	.01									.01	.25	.14	7
8	.14		.12								.06	.13	8
9	.06			.01							.18	.01	9
10	.01	.04	.21	.01				.01		.01		.42	10
11	.19							.10			.44	.01	11
12	.04		.36						.14		.11	.01	12
13			.04		.02				.14	.01		.36	13
14		.05	.07		.33		.01			.01	.02	.47	14
15		.08	.20							.08	.09	.02	15
16						.05					.23	.10	16
17						.03					.06	.14	17
18		.24				.16					.18	.06	18
19		.01			.01		.01	.03	.07	.15	.38	.03	19
20	.02	.04		.01				.57	.12			.55	20
21		.27						.28		.19		.13	21
22	.02		.13	.01		.36		.05		.20	.03	.39	22
23	.01	.06	.09			.54			.44	~~.01~~	.01	.10	23
24		.07	.04			.50				.89		.18	24
25			.03	.10	.70					.04		.03	25
26				.30	.87					.17	.30	.28	26
27		.21	.15	.32			.05	.31	.14	.02	.01	.05	27
28		.15		.26		.10		.07			.07	.01	28
29						.16	.05		.20	.26			29
30			.02		.05	.01				.08		.01	30
31					.06							.01	31
Total	.98	1.24	1.58	1.44	2.41	1.92	.12	1.65	1.21	2.27	2.65	4.38	TOTAL for year 21.85
No. of Rain Days	13	13	15	12	9	10	4	14	8	17	19	29	163

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 3 JAN 1913

Kept at Ridlington *in the County of* Rutland *by* N. W. Workley

RAIN GAUGE: Pattern ; Diameter of top 5 in. ; Height of top above Ground 4 ft. 7 in. ; " " " Sea Level 527 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name ~~Ashwell~~ Manton ; Distance 3½ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .25

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02			.06		.05	.03			.25	1
2		.02	.03	.04	.02	.18	.46					.03	2
3	.10		.05		.09	.22	.05	.46	.06			.07	3
4	.11		.42		.07	.44		.05			.25		4
5	.07	.04	.49			.06		.23			.08		5
6	.51	.05			.02	.12	.15	.18				.05	6
7		.11				.20	.06	.09	.01			.01	7
8	.35	.35	.16	.01		.09	.03		.12			.01	8
9		.08	.15	.06	.03	.10	.01					.21	9
10		.01				.15		.13			.14		10
11	.05	.13			.15			.01	.03		.04	.30	11
12	.06	.25	.10			.07	.21				.10		12
13	.01	.06				.10		.03			.09	.02	13
14	.08				.01	.05		.08	.005				14
15	.01	.01	.23		.28	.10		.03				.17	15
16	.44		.17		.28	.07		.11		.15			16
17	.38		.12			.25		.18			.02	.34	17
18	.20		.09				.01	.18		.02	.04	.03	18
19	.22	.07					.20	.56		.01	.02		19
20	.10		.15		.11		1.22	.77	.03	.18	.04		20
21			.14		.46			.41		.25			21
22	.18	.05			.81	.01	.86	.50		.01		.08	22
23	.07	.22	.20		.01	.06	.37	.30			.13	.37	23
24	.13		.01			.07	.11	.19				.10	24
25		.01				.41		.34			.32	.39	25
26						.01	.20	1.40		.76	.23	.33	26
27						.14	.01	.01		.60		.18	27
28		.02						.54	.04	.32	.29	.47	28
29		.01				.06	.52		.58	.33	.04		29
30	.06				.14		.02		.12	.49			30
31			.12		.37		.50	.14				.01	31
Total	3.03	1.49	2.65	.11	2.85	3.02	4.99	6.97	1.025 ~~.90~~	3.12	1.83	3.42	TOTAL for Year 34.505
No. of Rain Days.	19	17	17	3	15	24	19	27	9 (10)	11	15	20	196 (197)

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL

6 JAN 1914

Kept at Rislington

in the County of Rutland

by A. W. Worthey

Lat. 52° 37'4 Long. 4m° 40' W.

Time of Observation, 9-a.m.

Nearest Railway Station Manton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 7 in.

" " " " Sea Level 527 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.02	.10						1.25		.06		1
2		.09	.02	.05			.07		.02	.03	.10		2
3			.13		.56				.03	.04		.03	3
4	.68				.02	.01				.20	.15	.24	4
5	.01					.05	.04		.05	1.08	.03	.01	5
6	.01	.02	.06		.26	.35	.34		.01	.05	.01	.01	6
7		.09			.14	.10				.74	.06		7
8		.01			.12	.21			.01	.32	.20		8
9		.29	.05		.01	.26	.12				.12	.02	9
10	.03			.10			.09	.19			.43		10
11	1.22			.37				.32		.01	.37		11
12					.11						.74	.01	12
13	.05		.05	.04				.01	.07		.25		13
14	.06		.61	.02			.02			.13	.02		14
15	.16	.03	.25	.37			.03		.22		.02		15
16	.12	.01	.74	.12					.11				16
17		.03	.15			.26	.02				.03	.03	17
18			.22	.08		.01	.04				.04		18
19	.12		.10				.03		.05		~~.35~~		19
20	.18		.05	.04					.02	.40	.04	.01	20
21	.02		.15		.06		.02				.35		21
22	.20		.22					.04	.22		.02		22
23			.01			.03		.02	.07			.01	23
24	.05			.15							.01		24
25	.03	.01				.06			.01				25
26		.06	.24	.14				.01	.01	.28	.03	.24	26
27		.07	.04	.06				.01		.01			27
28	.39		.37	.15						.10		.06	28
29	.01		.17	.50				.23		.05		.12	29
30	.25									.09	.11	.01	30
31					.06			.06					31
Total	3.41	.73	3.73	2.19	1.34	1.34	.82	.92	2.15	3.56	3.22	.83	YEAR'S TOTAL 24.24
Rain Days.	19	12	20	14	9	10	11	9	15	15	22	13	169

W. 7,500, XI. 12

cond. 2.11.15

REGISTER OF RAINFALL IN 1914

Kept at Rutlington

in the County of Rutland

by N. W. Worley

RAIN GAUGE.

Lat. 52° 37' N Lon. 44° 48' W 15

Time of Observation 9 a.m.

Diameter 5"

Height of top above Ground 6ft 7in

" " Sea Level 527ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles*," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.05			.32	.25			.04	.01	1
2								.13			.30	.17	2
3			.02	.01	.15		.29	.16			.08		3
4	.20		.06	.18	.02			.15			.61	.18	4
5	.08		.11	.22	.12	.12	.13	.21			.01	.01	5
6		.08		.10	.09		.11	.02			.08	.02	6
7		.06	.44	.06	.02		.06	.03			.01	.03	7
8	.10	.05	.03	.05	.12	1.12	.06	.20				.01	8
9	.43	.02	.24	.21		1.08		.03	.03				9
10	.23	.07		.09	.05				.09				10
11		.14	.34	.26	.17	.03			.05		.49	.42	11
12	.05	.01	.11			.01	.05		.36		.06	.35	12
13		2.12	.20						.01	.03	.14	.22	13
14	.01		.19				.18			.64	.11	.22	14
15	.03		.14					.05		.01	.12	.09	15
16			.09				.23		.02		.04		16
17	.01	.21	.03						.14			.19	17
18			.06			.12	.21					.40	18
19		.03	.02						.02		.06		19
20	.01	.15	.15				.05		.01	.03		.01	20
21	.01	.25	.16			.14				.04		.22	21
22	.01				.36	.06		.09		.35		.03	22
23		.10	.04		.03	.01	.02			.03			23
24		.01	.09	.03		.01	.11	.01		.32	.16		24
25							.01	.10		.62	.01	.21	25
26			.04				.01	.21		.14	.14	.40	26
27	.06		.01							.01	.01	.18	27
28	.01	.05			.08					.14	.15	1.03	28
29	.02		.13		.02					.25	.05		29
30			.01			.05				.04	.29	.12	30
31	.01				.02		.21			.02		.05	31
Totals	1.27	1.35	2.71	1.26	1.25	2.75	2.05	1.64	.73	2.70	2.96	4.57	25.24
Total from Jan. 1	1.27	2.62	5.33	6.59	7.84	10.59	12.64	14.28	15.01	17.71	20.67	25.24	

6.59

17 15 23 11 13 11 16 14 9 15 21 23 185

K/4,000/1/99 EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3d.

REGISTER OF RAINFALL IN 1915

Kept at Ridlington

in the County of Rutland

by F. W. Worley

Lat. 52° 37½' Long. 44° 40' W.

Time of Observation 9. a.m.

Nearest Railway Station Manton (miles)

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 4 ft. 7 in.

" " " " Sea Level 527 ft.

FORM A. BRITISH RAINFALL. 4. JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.32	.08		.25							.14	1
2	.01	.13	.17	.17		.04	.01	.84		.07		.05	2
3	.36		.04	.19			.78	~~.08~~			.03	.20	3
4	.12						.08	~~.05~~		.01		.49	4
5	.04	.25			.18		.02	.02			.05	.40	5
6	.10	.04	.02	.24			.87	.02		.01		.04	6
7	.08	.23	.05	.05	.10	.04	.18	.21				.25	7
8	.04	.17	.01	.06							.04		8
9	.03	.03						.01		.02	.13	.46	9
10	.50	.01						.01	~~.02~~		.22		10
11	.03		.04	.01	.11		.18				.61	.12	11
12	.03			.25	.28		.09	.11		.01	1.25		12
13		.51			.64		.02						13
14		.02						.01				.36	14
15	.23				.08			.08			.19	.16	15
16		.28			.02		1.40	.01				.01	16
17		.16	.02				.31						17
18		.08	.60								.05		18
19		.02	.01		.005		.15						19
20	.18											.34	20
21	.08	.09			.75		.09					.10	21
22	.15	.01	.17		.12		.30					.09	22
23	.02	.01	.02			.06	.28			.36		.25	23
24	.03		.08	.03		.02	.12		.62	.23		.12	24
25	.01		.02				.04			.07		.28	25
26		.15	.02			.39	.02				.01	.34	26
27		.05	.01			.05	.30			.63		.04	27
28		.15				.20	.01	.09		.25			28
29	.01					.11	.03	.09			.28	.23	29
30	.08					.31		.03		.01		.03	30
31	.08							.13		.23		.04	31
Total	2.43	2.74	1.36	1.00	2.53	1.27	5.28	1.81	1.23	1.90	2.86	4.60	YEAR'S TOTAL 29.01
Rain Days.	22	20	16	8	13	9	21	16	10	12	11	23	179

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4 JAN 16

Kept at Rivington

in the County of Rutland

by N. W. Worthy

Lat. 52° 37' N. Long. 44° 40' W

Time of Observation 9. a.m.

Nearest Railway Station Manton (M.R.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 4 in.

" " " " Sea Level 524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.14			.15	.15				.50		1
2	.42	.05	.16		.35		.18		.05	.28	.10		2
3		.36				.06	.17		.40	.25	.05		3
4	.28	.19			.21	.24			.04	.19	.25		4
5	.02				.03	.15					.09		5
6	.04	.18	.17	.02		.01	.50			.05	.24		6
7	.02		.19		.10		.26			.09	.33	.03	7
8			.07			.01					.03	.27	8
9			.06		.33	.04				.03		.10	9
10		.36	.10	.11		.11			.01		.01		10
11	.04		.10	.09	.18	.15			.04			.08	11
12	.04		.13		.43	.16	.06			.05		.01	12
13		.22	.17	.05	.09	.02		.13					13
14		.50		.08	.06			.02		.05			14
15		.26	.40		.01		.16	.09		.01			15
16		.13	.04	.19	.02		.12						16
17	.06	.06		.18				1.06	.20	.24			17
18		.30	.04	.05				.10	.14		.84	.10	18
19	.08	.04	.24	.10				.05	.30		.39	.06	19
20	.11		.11	.10				.01			.08	.24	20
21	.02		.20									.69	21
22		.08	.02			.06				.05		.60	22
23	.08	.40		.01		.10		.03			.10	.37	23
24		.50		.09		.06		.04		.03		.14	24
25		.15	.23		.07			.22		.04	.17	.01	25
26		.17						.36		.06	.06		26
27	.04	.33	.60				.38	.14	.06	.26			27
28		.30	.40			.14				.02		.25	28
29		.13			.02	.33		1.05		.24		.09	29
30						.18		.10					30
31								.05		.20			31
Total	1.37	4.71	3.60	1.07	1.90	1.97	1.98	3.45	1.24	2.17	3.24	3.04	YEAR'S TOTAL 29.74
Rain Days.	14	21	20	12	13	17	9	15	9	20	15	15	180

W. 8,000. X. 14.

Smaller

REGISTER OF RAINFALL IN 1917

Kept at Ridlington

in the County of Rutland

by N. W. Worley

Lat. 52-37 N Long. 44.40 W

Time of Observation 9 a.m.

Nearest Railway Station Manton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

" " " " Sea Level 524 ft.

FORM A. BRITISH RAINFALL. 2446

RECEIVED 8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10				.95			.02		1
2	.07	.02		.01				.19	.08	.05			2
3		.03	.02	.09		.10		.72		.06	.02		3
4		.04	.06					.23		.48			4
5	.17		.04	.15				.01	.12	.05	.15		5
6	.01					.12				.12	.04		6
7	.54		.01			.01				.26	.01	.03	7
8	.48			.12			.24	1.35		.45	.08	.02	8
9	.07		.22	.07				.10		.05	.09	.01	9
10	.24		.26	.12	.11			.09		.07	.04		10
11	.13		.08	.17				.43	.03	.19	.01		11
12	.22	.07		.02	.19			.01		.24		.02	12
13	.03		.09	.02			.04	.20	.03	.01			13
14	.06			.15				.11				.05	14
15	.01			.01			.08			.03		.02	15
16	.11	.15		.11						.07		.15	16
17		.01	.03	.18	.45	.15	.10		.02	.10		.01	17
18	.03	.01		.10	.11		.31		.47				18
19	.04	.14	.18		.06				.07				19
20	.02	.22	.08		.50				.02		.20		20
21		.01	.06	.02		.03				.01			21
22			.08					.02	.03	.07			22
23		.04			.08			.23	.03	.01			23
24		.03				.49		.04					24
25			.06							.28	.08		25
26			.05					.46	.16		.09	.02	26
27						.20		.57					27
28						.40		.15				.10	28
29			.01		.05	.05	.02	.01		.50		.28	29
30		X					.35	.37		.01			30
31	.02	X	.10	X		X	.07	.14	X		X	.08	31
Total	2.25	.77	1.43	1.44	1.55	1.55	1.21	6.38	1.36	3.11	.83	.79	YEAR'S TOTAL 22.64
Rain Days.	17	12	17	18	8	9	8	22	11	21	12	12	165

W. 8,000. X. 15.

2.20

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Rothwell

in the County of Rutland

by N. W. Worley

Lat. 52.42½ Long. 46.40 W

Time of Observation 9 a.m.

Nearest Railway Station Manton L.N.E.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 4 in.

" " " " Sea Level 527 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.11					.01		.14	.03	1
2		.23		.02				.79		.01	.07	.22	2
3		.01			.50			.23	.10		.44	.01	3
4		.02	.09				.03	.03	.82	.02	.43	.05	4
5				.02	.19			.26	.23	.04			5
6		.06		.13						.02		.01	6
7	.05	.08		.33		.09			.01	.04	.08	.01	7
8	.01	.07	.03						.06	.10	.04	.11	8
9	.01	.31		.02			.28		.39	.30	.01	.02	9
10				.04			.31		.04	.19		.11	10
11	.07	.02		.02	.28		.14		.18	.24			11
12	.03	.18			.20		.06		.09			.02	12
13	.01	.01		.01	.18	.08			.17			.04	13
14	.33			.03		.01	.32		.20			.02	14
15	.60			.55			.18		.20				15
16	.01			.20		.09		.01	.24			.25	16
17	.19			.10	.06	.01	.50			.13		.15	17
18	.14					.11	.20		.38	.01		.28	18
19	.03	.01	.08	.07		.03	.01			.13		.14	19
20	.02	.06		.44		.05			.06	.06			20
21	.03	.01		.11			.03		.37	.16		.03	21
22	.18				.02	.01	.06			.01		.40	22
23	.14				.67	.01	.02		.01				23
24		.15					.05		.07	.02	.19		24
25							.01	.30		.03	.02		25
26							.10		.03		.08	.08	26
27						.04	.06		.20		.13	.22	27
28		.16	.22					.27			.24		28
29								.01	.81		.01	.03	29
30		X	.25						.05		.09	.16	30
31		X	.29	X		X			X		X		31
Total	1.88	1.40	.96	2.20	2.10	.53	2.39	1.90	4.72	1.54	2.06	2.42	YEAR'S TOTAL 24.13
Rain Days.	16	16	6	16	8	11	17	8	23	17	14	24	176

W. 8,000, IX. 17.

2301

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Ridlington

in the County of Rutland

by N. W. Worthy

Lat. 52° 34' N Long. 44° 40' W

Time of Observation 9 a.m.

Nearest Railway Station Manton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 4 in.

" " " " Sea Level 524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							.09						
1	.30	.08	.05		.26		.16	.04		.06	.10	.46	1
2	.13		.03				.24	.04	.24	.10	.35	.08	2
3	.84		.03		.02		.08		.23		.25	.03	3
4	.04		.41			.06	.03	.15	.03		.01	.22	4
5	.04	.14							.63			.10	5
6	.01		.06	.02	.84					.01	.05	.05	6
7	.06		.28										7
8	.08		.05	.16		.02					.02		8
9				.04							.04		9
10			.24	.05						.02	.06	.05	10
11	.11		.46	.01	.01		.66				.01		11
12	.		.37	.02		.19					.04	.01	12
13	.28			.20			.01		3.02	.09		.01	13
14	.33	.04		.22					.16		.01		14
15	.45	.05	.07	=							.10	.57	15
16	.08	1.05		.16							.17		16
17		.30									.29		17
18			.07					.27				.20	18
19		.14	.80			.13	.91	.20	.16		.09	.08	19
20	.59	.04	.37			.05	.32	.33	.03		.08	.09	20
21	.29	.47	.10			.02	.37				.02	.29	21
22		.24	.01						.28			.43	22
23						.03	.05	.04		.53		.01	23
24				.21	.04	.05	.01			.27		.06	24
25	.09			.11	.15	.02		.31				.02	25
26	.03		.37	.11		.01		.15	.07			.41	26
27	.82	.06	.01	.40				.07		.03		.03	27
28	.08			.04				.80		.02	.15	.43	28
29	.08	X		.03				.11		.38	.18	.12	29
30		X	.02	.22		.27				.04	.06	.33	30
31	.09	X		X		X	.02		X	.07	X	.03	31
Total	4.82	2.64	3.80	2.00	1.35	.84	2.95	2.47	1.88	1.62	2.01	4.11	YEAR'S TOTAL 30.49
Rain Days.	21	11	19	16	6	11	13	11	10?	12	20	24	174

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Uppingham, Ridlington
in the County of Rutland
by N. W. Wortley

Lat. ..... Long. .....
Time of Observation 9 a.m.
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 7 in.
" " " " Sea Level 527 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·17	27		·22		·03	·17	·04	·17	1
2				·09			·01	·06	·07	·09		·06	2
3				·22	·01	·02	·44		·05	·06			3
4				·15			·03	·40	·01	·30		·09	4
5			·05		·30		·62	·12	·06			·02	5
6			·12	·03	·04		·29	·03				·04	6
7			·14	·17	·01		·22					·01	7
8	·30	·09		·59	·11		·16			·01			8
9	·45	·01		·97			·02	·08					9
10	·20	·11	·09	·07			·06				·07		10
11	·21	·05	·04	·24	·20	·05	·01	·13				·10	11
12	·02		·01	·22		·22	·03	·12			·02	·10	12
13	·02	·10	·07	·18		·09			·16				13
14	·01	·03	1·05	·14		·36			·23	·06	·15		14
15	·01	·09	·84	·05			·04		·23	·06	·09	·01	15
16			·01	·03	·10	·08			·11	·02			16
17					·11				·64	·02			17
18	·08			·03	·15	·02		·20	·35			·10	18
19	·06	·12		·23		·12			·03			·04	19
20	·04	·40		·46		·38	·02				·01	·01	20
21	·05			·01			·22	·11	·04				21
22				·23			·06		·13			·01	22
23							·14		·01	·01	x	·40	23
24			·16							·01	x ·03	·05	24
25		·06		·11	·04	·05	·68						25
26	·25		·07	·02	·01		·07				·02	·02	26
27	·10	·03		·15	·01	·65					·50	·26	27
28	·49		·20	·01	·07		·07			·03	·04	·15	28
29	·05		·06		·42		·03				·10	·41	29
30	·03			·08	·01	·02	·04		·15		·07	·18	30
31	·07		·04		·03		·04			·26		·05	31
TOTAL	2·44	1·09	2·94	4·65	1·89	2·06	3·52	1·25	2·30	1·10	1·14	2·28	YEAR'S TOTAL 26·66
Days with ·01 in. or more	18	11	15	25	17	12	23	9	16	14	13	21	194
	15	8	13	19	11	9	16	8	12	7	8	15	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

RUTLAND.

WHITWELL
RECTORY.
1911 - 1915.

FORM A 1.
BRITISH RAINFALL.

2-JAN 1912

R 11

Kept at Whitw 5 in.

in the County of R ve Ground — ft. 102 Sea Level 320 ft.

by Y.E.Woo 0 A.M.

Name Oakham.

Distance 5 Direction W.

IMPORTANT NO d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.02	—	—	—	.01	.02	—	—	.02	.03	1
2	.10	—	—	.01	.08	.01	—	.02	—	—	.03	.06	2
3	—	.01	—	—	.18	—	—	.01	—	.04	.01	—	3
4	.09	.03	.04	.10	—	—	—	.01	.04	.15	.13	.26	4
5	.03	—	—	.10	—	—	—	.08	—	.03	.02	—	5
6	.28	—	—	.08	—	—	—	.01	—	.25	.02	.25	6
7	.01	—	.02	—	—	—	—	—	—	—	.23	.19	7
8	.15	—	.10	—	—	—	—	.01	.14	—	.08	.13	8
9	.05	—	—	.01	—	—	—	—	—	—	.12	.02	9
10	.03	.04	.21	—	—	—	—	.08	—	—	.01	.41	10
11	.20	—	—	—	—	—	—	.09	—	—	.42	.01	11
12	.01	.01	.33	—	—	—	—	—	.31	—	.09	.01	12
13	—	—	.04	—	—	—	—	—	.12	—	.01	.40	13
14	.04	.06	.05	—	.43	—	—	—	—	.05	.01	.47	14
15	—	.06	.12	—	.01	—	—	—	.03	.10	.09	.02	15
16	—	—	.01	—	—	.02	—	—	.03	.04	.24	.10	16
17	.02	.01	.02	—	—	.02	—	—	—	—	.08	.15	17
18	—	.18	—	—	—	.04	—	—	—	.02	.21	.06	18
19	.01	.10	—	—	.02	.03	—	.02	.04	.10	.35	.03	19
20	—	.05	—	.03	—	.02	—	.44	.14	.01	.01	.43	20
21	—	.21	—	—	—	—	—	.28	—	.13	.01	.08	21
22	.02	—	.04	.01	—	.31	—	.08	—	.16	.02	.34	22
23	.01	.04	.13	—	—	.79	—	—	.42	.09	.02	.13	23
24	—	.04	.02	—	—	.40	—	.01	—	.55	—	.20	24
25	—	.06	.04	.09	—	.01	—	.03	.01	.01	.04	.05	25
26	—	—	—	.14	.78	—	—	—	—	.24	.34	.24	26
27	—	.19	.22	.11	—	—	.06	.19	.19	.03	—	.05	27
28	—	.14	—	.25	—	.08	—	.06	.01	—	.08	.01	28
29	.01		—	.04	—	.12	.16	—	.21	.20	.01	—	29
30	—		.01	—	.13	.01	—	.03	—	.10	—	—	30
31	—		.01		.02		—	—		—		.01	31
Total	1.08	1.29	1.52	1.00	1.65	1.89	.23	1.50	1.69	2.24	2.70	4.20	TOTAL for year 21.02
No. of Rain Days	14	16	18	12	8	13	3	18	13	19	24	24	191

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.
BRITISH RAINFALL.

2 - JAN 1910

R[redacted]11.

Kept at Whitwell.

in the County of Rutland.

by T. E. Woodhouse.

RAIN GAUGE: Diameter of top 5 in. — Height of top above Ground — ft. 102 ins. — „ „ „ Sea Level 320 ft.

Time of Observation 9. 0 A.M.

Nearest Railway Station: Name Oakham. Distance 5 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.02	—	—	—	.01	.02	—	—	.02	.03	1
2	.10	—	—	.01	.08	.01	—	.02	—	—	.03	.06	2
3	—	.01	—	—	.18	—	—	.01	—	.04	.01	—	3
4	.09	.03	.07	.10	—	—	—	.01	.04	.15	.13	.26	4
5	.03	—	—	.10	—	—	—	.08	—	.03	.02	—	5
6	.28	—	—	.08	—	—	—	.01	—	.25	.02	.25	6
7	.01	—	.02	—	—	—	—	—	—	—	.23	.19	7
8	.15	—	.10	—	—	—	—	.01	.14	—	.08	.13	8
9	.05	—	—	.01	—	—	—	—	—	—	.12	.02	9
10	.03	.04	.21	—	—	—	—	.08	—	—	.01	.41	10
11	.20	—	—	—	—	—	—	.09	—	—	.42	.01	11
12	.01	.01	.33	—	—	—	—	—	.31	—	.09	.01	12
13	—	—	.07	—	—	—	—	—	.12	—	.01	.40	13
14	.04	.06	.05	—	.43	—	—	—	—	.05	.01	.47	14
15	—	.06	.12	—	.01	—	—	—	.03	.10	.09	.02	15
16	—	—	.01	—	—	.02	—	—	.03	.04	.24	.10	16
17	.02	.01	.02	—	—	.02	—	—	—	—	.08	.15	17
18	—	.18	—	—	—	.07	—	—	—	.02	.21	.06	18
19	.01	.10	—	—	.02	.03	—	.02	.04	.10	.35	.03	19
20	—	.05	—	.03	—	.02	—	.47	.14	.01	.01	.43	20
21	—	.21	—	—	—	—	—	.28	—	.13	.01	.08	21
22	.02	—	.04	.01	—	.31	—	.08	—	.16	.02	.34	22
23	.01	.04	.13	—	—	.79	—	—	.42	.09	.02	.13	23
24	—	.04	.02	—	—	.40	—	.01	—	.55	—	.20	24
25	—	.06	.04	.09	—	.01	—	.03	.01	.01	.04	.05	25
26	—	—	—	.14	.78	—	—	—	—	.21	.34	.24	26
27	—	.19	.22	.11	—	—	.06	.19	.19	.03	—	.05	27
28	—	.14	—	.25	—	.08	—	.06	.01	—	.08	.01	28
29	.01		—	.04	—	.12	.16	—	.21	.20	.01	—	29
30	—		.01	—	.13	.01	—	.03	—	.10	—	—	30
31	—		.01		.02		—	—		—		.01	31
Total	1.08	1.29	1.52	1.00	1.65	1.89	.23	1.50	1.69	2.24	2.70	4.20	TOTAL for year 21.02
No. of Rain Days	14	16	18	12	8	13	3	18	13	19	24	24	191

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

8 JAN 1913

Kept at Whitwell

in the County of Rutland

by Y. E. Woodhouse

Lat. 52° 40′ 5″ Long. 0.38 W

Nearest Railway Station Oakham

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.05	.01	—	.37	.05	.01	.03	—	—	.33	1
2	—	.08	.04	.04	.05	.19	.39	—	.04	—	—	.03	2
3	.10	—	.05	—	.12	.67	.16	.46	.06	—	—	.07	3
4	.07	—	.42	—	.07	.40	.01	.03	—	—	.38	—	4
5	.11	.06	.28	—	—	.01	.01	.12	.05	—	.02	—	5
6	.56	.06	.01	—	.02	.04	.31	.25	—	—	—	.05	6
7	—	.07	—	—	—	.27	.05	.05	.02	—	—	.01	7
8	.49	.34	.13	.04	—	.16	.09	.02	.17	.02	—	.02	8
9	.02	.08	.10	.06	.02	.10	.02	.03	—	—	—	.16	9
10	.01	.01	.01	—	—	.09	—	.07	—	.01	.16	—	10
11	.04	.14	.01	—	—	.05	—	.02	.02	—	.02	.25	11
12	.05	.25	.04	—	.18	.20	.36	—	—	.01	.08	—	12
13	—	.08	—	—	—	.11	—	—	—	—	.09	.02	13
14	.09	—	.16	—	.03	.07	—	.05	.02	.03	.01	—	14
15	.01	.01	.09	—	.34	.16	—	.02	—	—	—	.12	15
16	.55	—	.12	—	.07	.08	—	.09	—	.12	—	—	16
17	.30	—	.23	—	—	.29	—	.21	—	.01	.05	.31	17
18	.09	.01	.10	—	—	.01	—	.09	—	.01	.02	.02	18
19	.32	.04	—	—	—	—	.18	.32	.03	.02	.02	—	19
20	.10	.01	.25	—	.15	—	1.26	.54	—	.15	—	—	20
21	—	.01	.04	—	.40	—	.04	.41	—	.34	.03	—	21
22	.11	.04	—	—	.16	—	.84	.33	—	.02	—	.06	22
23	.14	.14	.21	—	.01	.09	.71	.50	—	—	.08	.33	23
24	.13	.01	.01	—	—	.14	.04	.16	—	—	—	.21	24
25	.01	.02	—	—	—	.42	—	.31	—	—	.24	.35	25
26	.01	—	.01	—	—	.16	.20	1.38	—	.92	.22	.29	26
27	—	—	—	—	—	.15	—	.01	—	.54	—	.14	27
28	—	.02	—	—	—	.02	.24	.52	.05	.41	.25	.38	28
29	—	.02	.04	—	—	.30	.41	—	.43	.32	.02	—	29
30	.06		.02	—	.39	—	.02	—	.14	.55	—	—	30
31	—		.16		.15		.55	.13		.01		.01	31
Total	3.37	1.59	2.64	0.15	2.16	4.55	6.80 6.00	6.16	1.06	3.52	1.69	3.16	36.05 36.05 TOTAL for year
No. of Rain Days.	22	21	24	4	15	25	21	26	12	17	16	20	223

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, I. '12.

Price 2d.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 3 JAN 1914

Kept at Whitwell.

in the County of Rutland.

by Y. E. Woodhouse.

Lat. 52° 40. 5" Long. 0. 38' W.

Time of Observation 9 A.M.

Nearest Railway Station Oakham.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 320. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.08	.02	—	—	—	—	1.26	—	.06	—	1
2	.01	.12	.03	.07	.01	—	.07	—	.02	—	.10	—	2
3	—	—	.12	—	.40	—	—	—	.03	—	.01	.02	3
4	.49	—	—	—	.10	—	—	—	—	.27	.21	.33	4
5	.02	—	—	—	—	.03	.04	—	.05	.68	.02	—	5
6	—	.01	.06	—	.65	.35	.24	—	—	.05	—	—	6
7	—	.11	—	—	.09	.07	.01	—	—	.80	.04	—	7
8	—	.03	—	—	.25	.24	.01	—	—	.14	.17	—	8
9	—	.25	.04	.01	.02	.21	.05	—	—	.02	.10	—	9
10	.02	—	—	.05	.01	.01	.59	.27	—	—	.45	—	10
11	.42	.01	—	.44	—	—	—	.45	—	.02	.30	—	11
12	—	—	—	—	.06	.01	.01	—	—	.01	1.12	—	12
13	.05	—	.04	.03	—	—	—	.01	.04	.01	.20	—	13
14	.08	.02	.71	.03	—	—	—	.01	—	.09	.01	—	14
15	.08	.01	.24	.32	—	—	.12	—	.28	.01	.02	—	15
16	.08	.03	.80	.10	—	—	.01	—	.21	.01	.01	—	16
17	.05	.06	.08	.09	—	.24	.03	—	.01	.01	.03	.02	17
18	.01	—	.25	.04	—	.01	.03	—	.02	—	.01	.01	18
19	.08	—	.04	—	—	—	.02	—	.10	—	—	—	19
20	.15	—	.05	.07	.03	—	—	—	.01	.28	.27	—	20
21	—	—	.14	—	.05	—	.04	—	—	.01	.27	—	21
22	.27	—	.24	—	—	—	—	.07	.25	—	—	—	22
23	—	—	.01	—	—	.04	—	.02	.04	—	.01	—	23
24	.02	—	—	.09	—	.01	—	—	—	.01	—	—	24
25	—	.01	—	.05	—	.02	—	—	—	—	—	—	25
26	—	.07	.22	.07	—	—	—	—	—	.33	.03	.26	26
27	—	.03	.02	.23	.28	—	.01	—	—	.02	.01	.01	27
28	.32	—	.27	.18	.01	—	—	—	—	.01	—	—	28
29	.01		.20	.57	—	—	—	.22	.01	.03	—	.06	29
30	.34		—	.07	—	—	—	.03	—	.07	.07	.10	30
31	—		—		.11		—	.22		.01		—	31
Total	25.0	.76	3.64	2.53	2.04	1.24	1.28	1.30	2.33	2.89	3.25	.81	YEAR'S TOTAL 24.57
Rain Days.	18	13	20	19	13	12	15	9	14	22	22	8	185

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914.

Ex D8

FORM A. BRITISH RAINFALL. 2 = JAN 1915

Kept at Whitwell.

in the County of Rutland

by T. E. Woodhouse.

Lat. 52° 40' 5" Long. 0° 38' W.

Time of Observation 9 A.M.

Nearest Railway Station Oakham.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	—	.02	.03	—	—	—	.32	—	—	.05	.07	1
2	.01	—	—	—	—	—	.01	.11	—	—	.11	.15	2
3	—	—	.01	.01	.15	—	.20	.06	—	—	.02	—	3
4	—	—	.01	.21	.03	—	—	.20	—	—	.55	.15	4
5	.01	—	.09	.21	.08	.15	.11	.24	—	—	.01	.01	5
6	—	.06	—	.07	.05	.10	—	.02	—	—	—	.01	6
7	.08	.04	.47	.02	.02	—	.03	.02	—	—	—	.01	7
8	.09	.04	.02	—	.06	1.07	.03	.16	—	—	—	—	8
9	.41	.02	.22	.23	—	1.03	—	.02	.05	—	—	—	9
10	.26	.07	.02	.09	.03	—	—	—	.10	—	—	—	10
11	.01	.10	.34	.23	.14	.03	—	—	.02	—	.53	.30	11
12	.05	.01	.11	—	—	—	.30	—	.33	—	.04	.34	12
13	.05	.11	.11	—	—	—	—	—	.01	.09	.04	.33	13
14	.01	.01	.10	—	—	—	.19	—	—	.48	.01	.25	14
15	.02	—	.13	—	—	—	—	.01	—	—	.24	.10	15
16	—	—	.02	—	—	—	.18	—	.03	—	.04	—	16
17	—	.37	.07	—	—	—	—	—	.07	—	—	.18	17
18	—	.01	.05	—	—	.87	.18	—	—	—	.01	.35	18
19	—	.04	.07	—	—	—	.06	—	—	—	.04	.01	19
20	—	.10	.36	—	—	—	—	—	—	.01	—	.03	20
21	.01	.34	.15	—	—	.10	—	—	—	.03	.01	.12	21
22	—	.01	—	—	.23	.10	.11	.11	—	.27	—	.07	22
23	—	.06	.04	—	.02	—	.01	—	—	.04	—	.03	23
24	—	.01	.07	.04	—	—	.02	—	—	.17	.15	—	24
25	.01	—	—	—	—	—	—	.09	—	.65	.01	.25	25
26	—	—	.06	—	—	—	.01	.07	—	.12	.11	.29	26
27	.02	—	.01	—	—	—	—	—	—	.01	.01	.17	27
28	—	.04	—	—	.02	—	—	—	—	.18	.17	1.18	28
29	.04		.09	—	.02	—	—	—	—	.37	.05	—	29
30	.01		.01	—	—	.04	—	—	—	.04	.31	.17	30
31	.02		—		.01		.15	—		.01		.03	31
Total	1.13	1.44	2.64	1.14	.86	3.49	1.59	1.43	.61	2.47	2.51	4.54	YEAR'S TOTAL 23.85
Rain Days.	18	18	25	10	13	9	15	13	7	14	21	24	187

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

2643

FORM A. 1915 BRITISH RAINFALL

Kept at Whitwell

in the County of Rutland

by J. E. Woodhouse

Lat. 52° 40′ 5″ Long. 0° 38′ W

Time of Observation 9 A.M.

Nearest Railway Station Oakham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	.22	.02	—	.31	—	—	.01	.59	—	.03		1
2	.05	.15	.13	.13	—	.06	—	.79	.01	.01	—		2
3	.31	—	.02	.15	—	—	1.35	.22	.17	—	—		3
4	.19	—	—	—	—	—	.30	—	—	—	.01		4
5	.02	.23	—	—	.03	—	.02	.01	—	—	.05		5
6	.06	.06	.02	.21	—	—	.82	—	—	.02	—		6
7	.06	.28	.08	.01	—	.05	.22	.13	—	—	—		7
8	.03	.10	—	.03	—	—	—	.03	—	—	.04		8
9	.01	.01	—	—	—	.02	—	—	—	—	.07		9
10	.35	—	.01	—	—	.01	—	—	—	—	.08		10
11	.01	—	.02	.02	.13	—	.09	.01	—	—	.48		11
12	.02	—	—	.19	.30	—	.02	.06	—	—	1.38		12
13	—	.49	—	—	.75	—	—	.01	—	—	—		13
14	—	.04	—	—	.01	—	—	—	.01	—	—		14
15	.29	.01	—	—	.07	—	.03	.40	—	—	.12		15
16	—	.27	—	—	.01	—	1.10	—	—	—	.03		16
17	—	.23	—	—	—	—	.10	—	—	—	.01		17
18	—	.05	.13	—	—	—	—	—	—	—	.05		18
19	—	.01	.02	—	—	—	.11	—	—	—	—		19
20	.10	.01	—	—	—	—	—	—	—	—	—		20
21	.04	.05	—	—	.45	—	.06	—	—	—	—		21
22	.13	—	.14	.01	.04	—	.20	—	—	—	—		22
23	.04	.02	.01	—	—	.01	.16	—	.04	.26	.01		23
24	.01	—	.10	—	—	—	.11	—	.67	.23	—		24
25	—	—	.01	—	—	.46	.05	—	.01	.07	—		25
26	—	.16	.01	—	—	—	.02	—	—	—	—		26
27	—	.06	—	—	—	.07	.86	—	—	.54	—		27
28	—	.12	.02	—	—	.06	.02	.07	.01	.20	—		28
29	.01		—	—	—	.23	—	.08	—	.01	.20		29
30	.04	X	—	—	—	1.13	.02	.07	—	—	.02		30
31	.03	X	—	X	—	X	—	.11	X	.17	X		31
Total	1.97	2.57	.74	.75	2.10	2.10	5.66	2.00	1.51	1.51	2.58		YEAR'S TOTAL
Rain Days.	21	20	15	8	10	10	20	14	8	9	15		

W. 8,000. X. 14.

RUTLAND.

WING.

THE COTTAGE

1912

RI ...2

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at The Cottage ...5" in.

in the County of ... Ground ... ft. ... in.

by J. T. W. Lightf... Sea Level ... ft.

Name ...

Distance ... Direction ...

IMPORTANT NOT... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05					.02					1
2		.03	.04	.02	.01								2
3	.06		.05		.07			.42					3
4	.10		.42					.02					4
5	.09	.06	.38					.11					5
6	.45	.03						.18					6
7								.04					7
8	.33	.40	.13					.01					8
9		.08	.06	.05									9
10		.01		.01				.11					10
11	.04	.27											11
12	.06	.25	.08										12
13		.08											13
14	.09		.19					.04					14
15		.02	.14					.05					15
16	.68		.16					.09					16
17	.34		.08					.21					17
18	.15							.05					18
19	.25	.07	.01					.27					19
20	.06		.17					.73					20
21			.07					.41					21
22	.13	.06						.35					22
23	.09	.18	.21					.39					23
24	.13	.01	.01					.23					24
25								.35					25
26			.01					1.42					26
27		.01											27
28		.02						.58					28
29		.03											29
30	.04												30
31			.10					.12					31
Total	3.09	1.61	2.36	.08				6.20					TOTAL for year
No. of Rain Days.	17	17	19	3				23					

W. 8,000, X. '11.

82

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

RE[redacted]2

Kept at The Cottage, King W.r Oakham
Rutland

in the County of

by J. T. K. Lightfoot

RAIN GAUGE { Pattern ... Diameter of top 5" in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05					.02					1
2		.03	.04	.02	.01								2
3	.06		.05		.07			.42					3
4	.10		.42					.02					4
5	.09	.06	.38					.11					5
6	.45	.03						.18					6
7								.04					7
8	.33	.40	.13					.01					8
9		.08	.06	.05									9
10		.01		.01				.11					10
11	.04	.27											11
12	.06	.25	.08										12
13		.08											13
14	.09		.19					.04					14
15		.02	.14					.05					15
16	.68		.16					.09					16
17	.34		.08					.21					17
18	.15							.05					18
19	.25	.07	.01					.27					19
20	.06		.17					.73					20
21			.07					.41					21
22	.13	.06						.35					22
23	.09	.18	.21					.39					23
24	.13	.01	.01					.23					24
25								.35					25
26			.01					1.42					26
27		.01											27
28		.02						.58					28
29		.03											29
30	.04												30
31			.10					.12					31
Total	3.09	1.61	2.36	.08				6.20					TOTAL for year
No. of Rain Days.	17	17	19	3				23					

W. 8,000, X. '11.